

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QAS	QA DAYS	Dam
1A	WEAN MALE	285	3.40	970	CH	140424	Y	70+d - 1Mv	CH
1B	WEAN MALE	345	3.01	1040	LM	200524	Y	70+d - 1Mv	LMX
1B	WEAN MALE	345	3.01	1040	CH	120524	Y	70+d - 1Mv	HEX
1B	WEAN MALE	345	3.01	1040	CH	290424	Y	70+d - 1Mv	CHX
1B	WEAN MALE	345	3.01	1040	CH	260424	Y	70+d - 1Mv	HEX
1B	WEAN MALE	345	3.01	1040	LM	150424	Y	70+d - 1Mv	HEX
1B	WEAN MALE	345	3.01	1040	CH	70424	Y	70+d - 1Mv	AAX
1B	WEAN MALE	345	3.01	1040	CH	50424	Y	70+d - 1Mv	AAX
2C	WEAN MALE	310	2.97	920	CH	240624	Y	70+d - 1Mv	SIX
2C	WEAN MALE	310	2.97	920	CH	110524	Y	70+d - 1Mv	HEX
2C	WEAN MALE	310	2.97	920	CH	280424	Y	70+d - 1Mv	BBX
2C	WEAN MALE	310	2.97	920	CH	90424	Y	70+d - 1Mv	AAX
2C	WEAN MALE	310	2.97	920	CH	20424	Y	70+d - 1Mv	CHX
2C	WEAN MALE	310	2.97	920	CH	60424	Y	70+d - 1Mv	AAX
2C	WEAN MALE	310	2.97	920	CH	80424	Y	70+d - 1Mv	AAX
3	WEAN MALE	241	3.07	740	AA	200324	N	- 2Mv	FRX
3	WEAN MALE	241	3.07	740	AA	100324	N	- 2Mv	FRX
3	WEAN MALE	241	3.07	740	AA	120324	N	- 2Mv	FR
3	WEAN MALE	241	3.07	740	AA	190324	N	- 2Mv	FR
3	WEAN MALE	241	3.07	740	AA	300324	N	- 2Mv	FR
3	WEAN MALE	241	3.07	740	AA	160424	N	- 2Mv	FR
3A	WEAN MALE	241	3.03	730	AA	130324	N	- 2Mv	FR
3A	WEAN MALE	241	3.03	730	AA	230224	N	- 2Mv	FR
3A	WEAN MALE	241	3.03	730	AA	30324	N	- 2Mv	FR
3A	WEAN MALE	241	3.03	730	AA	130324	N	- 2Mv	FRX
4	WEAN MALE	185	3.35	620	AA	80524	Y	70+d - 1Mv	FR
4B	WEAN MALE	265	2.72	720	HE	40824	Y	70+d - 1Mv	FR
4C	WEAN MALE	263	3.38	890	CH	290524	Y	70+d - 1Mv	CHX
4C	WEAN MALE	263	3.38	890	CH	300524	Y	70+d - 1Mv	SIX
4C	WEAN MALE	263	3.38	890	CH	290524	Y	70+d - 1Mv	AAX
4C	WEAN MALE	263	3.38	890	CH	300524	Y	70+d - 1Mv	AAX
5A	WEAN MALE	377	3.50	1320	CH	270324	Y	70+d - 1Mv	SAX
5A	WEAN FEMALE	377	3.50	1320	CH	220324	Y	70+d - 1Mv	SAX
5B	WEAN MALE	320	3.13	1000	CH	50424	Y	70+d - 1Mv	SAX
5B	WEAN MALE	320	3.13	1000	CH	110324	Y	70+d - 1Mv	SAX
5C	WEAN MALE	350	3.60	1260	CH	50424	Y	70+d - 1Mv	SAX
5C	WEAN MALE	350	3.60	1260	CH	20424	Y	70+d - 1Mv	SAX
5D	WEAN MALE	327	3.27	1070	CH	90324	Y	70+d - 1Mv	SA
5D	WEAN MALE	327	3.27	1070	CH	80324	Y	70+d - 1Mv	SAX
6A	WEAN MALE	258	2.95	760	BB	250224	Y	70+d - 1Mv	FR
6A	WEAN MALE	258	2.95	760	BB	240224	Y	70+d - 1Mv	FR
6A	WEAN MALE	258	2.95	760	BB	60324	Y	70+d - 1Mv	FRX
6B	WEAN MALE	237	3.12	740	CH	70324	Y	70+d - 1Mv	FRX
6B	WEAN MALE	237	3.12	740	CH	110324	Y	70+d - 1Mv	FRX
6C	WEAN MALE	270	2.81	760	CH	290224	Y	70+d - 1Mv	FRX
6D	WEAN MALE	220	2.36	520	FR	140224	Y	70+d - 1Mv	FRX
6D	WEAN MALE	220	2.36	520	FR	90224	Y	70+d - 1Mv	FRX
7A	WEAN MALE	253	2.61	660	FR	180224	Y	70+d - 1Mv	FRX
7A	WEAN MALE	253	2.61	660	FR	100224	Y	70+d - 1Mv	FR

7A	WEAN MALE	253	2.61	660	FR	220224	Y	70+d - 1Mv	FRX
7A	WEAN MALE	253	2.61	660	FR	50224	Y	70+d - 1Mv	FRX
7B	WEAN MALE	200	2.65	530	FR	180524	Y	70+d - 1Mv	FR
7B	WEAN MALE	200	2.65	530	FR	300524	Y	70+d - 1Mv	FRX
7B	WEAN MALE	200	2.65	530	FR	260524	Y	70+d - 1Mv	FRX
7C	WEAN MALE	212	3.40	720	CH	220324	Y	70+d - 1Mv	FRX
7C	WEAN MALE	212	3.40	720	CH	110524	Y	70+d - 1Mv	FR
8	WEAN MALE	310	3.23	1000	BB	120224	Y	70+d - 1Mv	FR
8A	WEAN MALE	283	3.14	890	HE	170224	Y	70+d - 1Mv	FR
8A	WEAN MALE	283	3.14	890	HE	230324	Y	70+d - 1Mv	FR
8A	WEAN MALE	283	3.14	890	HE	140224	Y	70+d - 1Mv	FR
8A	WEAN MALE	283	3.14	890	HE	130224	Y	70+d - 1Mv	FRX
8A	WEAN MALE	283	3.14	890	HE	230324	Y	70+d - 1Mv	FR
9B	WEAN MALE	259	3.09	800	HE	180224	Y	70+d - 1Mv	FRX
9B	WEAN MALE	259	3.09	800	HE	80324	Y	70+d - 1Mv	SHX
9B	WEAN MALE	259	3.09	800	HE	120224	Y	70+d - 1Mv	FR
9B	WEAN MALE	259	3.09	800	HE	240324	Y	70+d - 1Mv	FR
9B	WEAN MALE	259	3.09	800	HE	80324	Y	70+d - 1Mv	FR
9B	WEAN MALE	259	3.09	800	HE	100324	Y	70+d - 1Mv	SHX
10C	WEAN MALE	241	3.28	790	HE	220324	Y	70+d - 1Mv	FR
10C	WEAN MALE	241	3.28	790	HE	230324	Y	70+d - 1Mv	FRX
10C	WEAN MALE	241	3.28	790	HE	200224	Y	70+d - 1Mv	FR
10C	WEAN MALE	241	3.28	790	HE	240324	Y	70+d - 1Mv	FRX
10D	WEAN MALE	241	2.99	720	HE	270324	Y	70+d - 1Mv	FR
10D	WEAN MALE	241	2.99	720	HE	160224	Y	70+d - 1Mv	FR
10D	WEAN MALE	241	2.99	720	HE	210224	Y	70+d - 1Mv	FR
10D	WEAN MALE	241	2.99	720	HE	100324	Y	70+d - 1Mv	FR
11	WEAN MALE	248	3.71	920	LM	40524	N	- 2Mv	LMX
11	WEAN MALE	248	3.71	920	LM	270324	N	- 2Mv	LMX
11	WEAN MALE	248	3.71	920	LM	100624	N	- 2Mv	LMX
11A	WEAN MALE	221	4.07	900	CH	270524	N	- 2Mv	SI
11A	WEAN MALE	221	4.07	900	CH	180624	N	- 3Mv	LMX
11A	WEAN MALE	221	4.07	900	CH	280524	N	- 2Mv	CHX
11B	WEAN MALE	222	3.83	850	LM	10624	N	- 2Mv	LMX
11B	WEAN MALE	222	3.83	850	BB	150724	N	- 2Mv	FR
11D	WEAN MALE	296	3.07	910	SHX	160424	N	- 2Mv	LMX
11D	WEAN MALE	296	3.07	910	SHX	50324	N	- 2Mv	SHX
11D	WEAN MALE	296	3.07	910	SHX	160424	N	- 2Mv	HEX
12	WEAN MALE	290	3.10	900	LM	150324	Y	32d - 1Mv	LMX
12A	WEAN MALE	255	3.69	940	LM	140624	Y	32d - 1Mv	SIX
12B	WEAN MALE	210	3.24	680	LM	200424	Y	32d - 1Mv	LMX
13A	WEAN MALE	305	2.39	730	AA	270324	Y	70+d - 1Mv	FRX
13A	WEAN MALE	305	2.39	730	AA	150324	Y	70+d - 1Mv	FRX
13B	WEAN MALE	242	2.48	600	AA	130324	Y	70+d - 1Mv	FRX
13B	WEAN MALE	242	2.48	600	AA	160324	Y	70+d - 1Mv	JEX
13C	WEAN MALE	225	2.89	650	BB	310324	Y	70+d - 1Mv	JEX
13D	WEAN MALE	190	3.11	590	HE	180624	Y	70+d - 1Mv	FR
13E	WEAN MALE	225	2.89	650	AA	170624	Y	70+d - 1Mv	FR
13H	WEAN MALE	225	2.89	650	HE	180624	Y	70+d - 1Mv	FR
14A	WEAN MALE	217	3.04	660	AA	10524	Y	70+d - 1Mv	FR

14A	WEAN MALE	217	3.04	660	AA	30524	Y	70+d - 1Mv	FR
14A	WEAN MALE	217	3.04	660	AA	80524	Y	70+d - 1Mv	FR
14A	WEAN MALE	217	3.04	660	AA	260424	Y	70+d - 1Mv	FR
16	WEAN MALE	227	3.44	780	LM	210324	N	- 2Mv	SHX
16	WEAN MALE	227	3.44	780	LM	10524	N	- 2Mv	SPX
17	WEAN MALE	240	3.08	740	AA	220224	Y	70+d - 1Mv	FR
17A	WEAN MALE	245	3.14	770	CH	120224	Y	70+d - 1Mv	FR
17B	WEAN MALE	192	3.44	660	AA	140424	Y	70+d - 1Mv	FR
17B	WEAN MALE	192	3.44	660	AA	100424	Y	70+d - 1Mv	FR
17B	WEAN MALE	192	3.44	660	AA	180324	Y	70+d - 1Mv	FRX
17B	WEAN MALE	192	3.44	660	AA	250224	Y	70+d - 1Mv	FR
17B	WEAN MALE	192	3.44	660	AA	230224	Y	70+d - 1Mv	FR
17C	WEAN MALE	180	3.00	540	LM	10824	Y	70+d - 1Mv	HEX
18B	WEAN MALE	220	2.36	520	FR	50224	Y	70+d - 2Mv	FRX
18B	WEAN MALE	220	2.36	520	FR	80224	Y	70+d - 2Mv	FRX
18B	WEAN MALE	220	2.36	520	FR	70224	Y	70+d - 2Mv	FRX
18B	WEAN MALE	220	2.36	520	FR	50324	Y	70+d - 2Mv	FR
18B	WEAN MALE	220	2.36	520	FR	130224	Y	70+d - 2Mv	FR
18B	WEAN MALE	220	2.36	520	FR	310124	Y	70+d - 3Mv	JEX
18B	WEAN MALE	220	2.36	520	FR	170224	Y	70+d - 3Mv	FR
18C	WEAN MALE	212	2.45	520	FR	140224	Y	70+d - 2Mv	FRX
18C	WEAN MALE	212	2.45	520	FR	270224	Y	70+d - 2Mv	FRX
18C	WEAN MALE	212	2.45	520	FR	70224	Y	70+d - 2Mv	FRX
18E	WEAN MALE	177	2.26	400	FR	100224	Y	- 4Mv	FRX
18E	WEAN MALE	177	2.26	400	FR	80224	Y	- 4Mv	FRX
18E	WEAN MALE	177	2.26	400	FR	10224	Y	- 4Mv	FR
18E	WEAN MALE	177	2.26	400	FR	230424	Y	- 4Mv	FRX
18E	WEAN MALE	177	2.26	400	FR	210224	Y	- 4Mv	FRX
19E	WEAN MALE	155	3.35	520	AA	260724	N	- 3Mv	FR
19E	WEAN MALE	155	3.35	520	AA	10624	N	- 3Mv	FR
19H	WEAN MALE	286	2.03	580	FR	50224	N	- 2Mv	FRX
19H	WEAN MALE	286	2.03	580	FR	50224	N	- 2Mv	FRX
19H	WEAN MALE	286	2.03	580	FR	90224	N	- 2Mv	FR
20A	WEAN MALE	333	2.85	950	SAX	140324	Y	70+d - 1Mv	AAX
20A	WEAN MALE	333	2.85	950	SAX	220324	Y	70+d - 1Mv	LMX
20A	WEAN MALE	333	2.85	950	SAX	150324	Y	70+d - 1Mv	AAX
20B	WEAN MALE	301	2.82	850	SAX	300324	Y	70+d - 1Mv	LMX
20B	WEAN MALE	301	2.82	850	SAX	230324	Y	70+d - 1Mv	LMX
20B	WEAN MALE	301	2.82	850	SAX	310324	Y	70+d - 1Mv	HEX
20C	WEAN MALE	262	2.90	760	SAX	130424	Y	70+d - 1Mv	LMX
20C	WEAN MALE	262	2.90	760	SAX	80524	Y	70+d - 1Mv	AAX
20C	WEAN MALE	262	2.90	760	SAX	270324	Y	70+d - 1Mv	LMX
20C	WEAN MALE	262	2.90	760	SAX	10524	Y	70+d - 1Mv	LMX
22	WEAN MALE	258	2.25	580	AA	190324	N	- 2Mv	FR
22	WEAN MALE	258	2.25	580	AA	220324	N	- 2Mv	FR
22	WEAN MALE	258	2.25	580	AA	180324	N	- 2Mv	FR
22	WEAN MALE	258	2.25	580	AA	170324	N	- 2Mv	FR
22	WEAN MALE	258	2.25	580	AA	220324	N	- 2Mv	FR
400	WEAN FEMALE	321	2.90	930	CH	40424	Y	70+d - 1Mv	LMX
400	WEAN FEMALE	321	2.90	930	CH	20424	Y	70+d - 1Mv	AAX

400	WEAN FEMALE	321	2.90	930	CH	100424	Y	70+d - 1Mv	HEX
400A	WEAN FEMALE	286	3.18	910	LM	100524	Y	70+d - 1Mv	AAX
400A	WEAN FEMALE	286	3.18	910	LM	270424	Y	70+d - 1Mv	HEX
400A	WEAN FEMALE	286	3.18	910	LM	90424	Y	70+d - 1Mv	HEX
400B	WEAN FEMALE	217	2.76	600	LM	240624	Y	70+d - 1Mv	AAX
400B	WEAN FEMALE	217	2.76	600	LM	210624	Y	70+d - 1Mv	SIX
401	WEAN FEMALE	190	2.58	490	AA	170524	Y	70+d - 1Mv	FR
401	WEAN FEMALE	190	2.58	490	AA	10524	Y	70+d - 1Mv	AA
401	WEAN FEMALE	190	2.58	490	AA	60524	Y	70+d - 1Mv	FR
401A	WEAN FEMALE	147	2.59	380	AA	230524	Y	70+d - 1Mv	FR
401A	WEAN FEMALE	147	2.59	380	AA	170524	Y	70+d - 1Mv	FRX
402	WEAN FEMALE	240	3.13	750	LM	90524	Y	70+d - 1Mv	LMX
402A	WEAN FEMALE	210	3.05	640	LM	300524	Y	70+d - 1Mv	LMX
402C	WEAN FEMALE	221	2.40	530	HE	50524	Y	70+d - 1Mv	FR
402C	WEAN FEMALE	221	2.40	530	HE	110824	Y	70+d - 1Mv	FR
402C	WEAN FEMALE	221	2.40	530	HE	300724	Y	70+d - 1Mv	FR
402D	WEAN FEMALE	300	2.90	870	CH	160424	Y	70+d - 1Mv	AAX
403A	WEAN FEMALE	250	2.96	740	LM	170324	Y	70+d - 1Mv	LMX
403B	WEAN FEMALE	260	2.65	690	HE	120424	Y	70+d - 2Mv	FR
403B	WEAN FEMALE	260	2.65	690	AA	310324	Y	70+d - 2Mv	FRX
403B	WEAN FEMALE	260	2.65	690	HE	50424	Y	70+d - 2Mv	FRX
403B	WEAN FEMALE	260	2.65	690	HE	20524	Y	70+d - 2Mv	FRX
403B	WEAN FEMALE	260	2.65	690	HE	190424	Y	70+d - 2Mv	FR
403B	WEAN FEMALE	260	2.65	690	HE	200424	Y	70+d - 2Mv	FRX
404	WEAN FEMALE	192	2.97	570	CH	140324	Y	70+d - 1Mv	FR
404	WEAN FEMALE	192	2.97	570	CH	30324	Y	70+d - 1Mv	FRX
404A	WEAN FEMALE	186	2.85	530	AA	40424	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	186	2.85	530	AA	10424	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	186	2.85	530	AA	280224	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	186	2.85	530	AA	110324	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	186	2.85	530	AA	240324	Y	70+d - 1Mv	FR
404B	WEAN FEMALE	207	2.71	560	AA	70324	Y	70+d - 1Mv	FRX
404B	WEAN FEMALE	207	2.71	560	AA	100324	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	10424	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	250324	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	200424	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	210424	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	60424	Y	70+d - 1Mv	FRX
405B	WEAN FEMALE	181	2.71	490	AA	280324	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	220224	Y	70+d - 1Mv	FR
405B	WEAN FEMALE	181	2.71	490	AA	220424	Y	70+d - 1Mv	FR
406	WEAN FEMALE	292	3.15	920	CH	110224	N	- 1Mv	AAX
406	WEAN FEMALE	292	3.15	920	CH	210324	N	- 1Mv	AAX
406A	WEAN FEMALE	237	2.83	670	AA	170624	Y	70+d - 1Mv	SI
406A	WEAN FEMALE	237	2.83	670	AA	170624	Y	70+d - 1Mv	FR
406B	WEAN FEMALE	218	2.29	500	HE	180624	Y	70+d - 1Mv	FR
406B	WEAN FEMALE	218	2.29	500	HE	170624	Y	70+d - 1Mv	FR
406B	WEAN FEMALE	218	2.29	500	HE	170624	Y	70+d - 1Mv	FR
406K	WEAN FEMALE	300	2.83	850	SAX	250324	Y	70+d - 1Mv	HEX
406K	WEAN FEMALE	300	2.83	850	SAX	180324	Y	70+d - 1Mv	HEX

408	WEAN FEMALE	210	2.10	440	AA	190324	N	- 2Mv	FR
408	WEAN FEMALE	210	2.10	440	AA	170324	N	- 2Mv	FR
408	WEAN FEMALE	210	2.10	440	AA	220324	N	- 2Mv	FR
409	WEAN FEMALE	266	2.63	700	AA	10424	Y	70+d - 1Mv	AAX
409	WEAN FEMALE	266	2.63	700	AA	300324	Y	70+d - 1Mv	SIX
409	WEAN FEMALE	266	2.63	700	AA	100424	Y	70+d - 1Mv	LMX