

WEANLING BULLS

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QA	QAS	DAM
3	WEAN MALE	285	2.53	720	HE	10224	Y	70+d - 1Mv	NRX
3A	WEAN MALE	215	2.60	560	HE	240224	Y	70+d - 1Mv	FR
3B	WEAN MALE	275	2.76	760	AA	60324	Y	70+d - 1Mv	FR
3C	WEAN MALE	221	2.99	660	AA	250324	Y	70+d - 1Mv	FRX
3C	WEAN MALE	221	2.99	660	AA	230224	Y	70+d - 1Mv	FR
3C	WEAN MALE	221	2.99	660	AA	260224	Y	70+d - 1Mv	FR
3C	WEAN MALE	221	2.99	660	AA	240224	Y	70+d - 1Mv	FR
3D	WEAN MALE	202	2.77	560	AA	240224	Y	70+d - 1Mv	FRX
3D	WEAN MALE	202	2.77	560	AA	270224	Y	70+d - 1Mv	FR
3E	WEAN MALE	181	2.93	530	HE	250324	Y	70+d - 1Mv	FR
3E	WEAN MALE	181	2.93	530	HE	50224	Y	70+d - 1Mv	FR
3E	WEAN MALE	181	2.93	530	HE	80324	Y	70+d - 1Mv	FR
4H	WEAN MALE	470	2.89	1360	LM	140124	Y	70+d - 1Mv	FRX
5	WEAN MALE	290	2.66	770	HE	200224	N	- 2Mv	FRX
5A	WEAN MALE	277	2.85	790	AA	220224	N	- 2Mv	MOX
5A	WEAN MALE	277	2.85	790	AA	130224	N	- 2Mv	MOX
5B	WEAN MALE	250	2.80	700	AA	270224	N	- 2Mv	FRX
5B	WEAN MALE	250	2.80	700	AA	270224	N	- 2Mv	FRX
5C	WEAN MALE	247	3.12	770	AA	40324	N	- 2Mv	FRX
5C	WEAN MALE	247	3.12	770	AA	140224	N	- 2Mv	FR
5D	WEAN MALE	250	2.92	730	HE	250224	N	- 2Mv	FR
5E	WEAN MALE	265	2.87	760	AA	190224	N	- 2Mv	FRX
6	WEAN MALE	362	3.92	1420	LM	130324	Y	70+d - 1Mv	LMX
6	WEAN MALE	362	3.92	1420	LM	180424	Y	70+d - 1Mv	LMX
6A	WEAN MALE	362	3.78	1370	LM	150324	Y	70+d - 1Mv	LMX
6A	WEAN MALE	362	3.78	1370	LM	100424	Y	70+d - 1Mv	LMX
6B	WEAN MALE	337	3.53	1190	LM	20424	Y	70+d - 1Mv	LMX
6B	WEAN MALE	337	3.53	1190	LM	140424	Y	70+d - 1Mv	LMX
6C	WEAN MALE	340	3.88	1320	LM	180324	Y	70+d - 1Mv	LM
6C	WEAN MALE	340	3.88	1320	LM	150424	Y	70+d - 1Mv	LM
6D	WEAN MALE	327	3.33	1090	LM	100424	Y	70+d - 1Mv	BAX
6D	WEAN MALE	327	3.33	1090	LM	60424	Y	70+d - 1Mv	SAX
6E	WEAN MALE	365	3.84	1400	LM	20324	Y	70+d - 1Mv	AAX
6E	WEAN MALE	365	3.84	1400	LM	30324	Y	70+d - 1Mv	AAX
6H	WEAN MALE	320	3.91	1250	LM	150424	Y	70+d - 1Mv	LMX
7D	WEAN MALE	187	2.83	530	AA	110224	Y	70+d - 3Mv	FRX
7D	WEAN MALE	187	2.83	530	AA	240224	Y	70+d - 3Mv	JEX
7D	WEAN MALE	187	2.83	530	AA	120224	Y	70+d - 3Mv	JEX
7D	WEAN MALE	187	2.83	530	AA	90224	Y	70+d - 3Mv	JEX
7D	WEAN MALE	187	2.83	530	AA	240224	Y	70+d - 3Mv	JEX
7E	WEAN MALE	138	1.74	240	FR	60224	Y	70+d - 3Mv	FRX
7E	WEAN MALE	138	1.74	240	JE/JY	110324	Y	70+d - 2Mv	FRX
7E	WEAN MALE	138	1.74	240	JE/JY	240224	Y	70+d - 3Mv	JEX
7E	WEAN MALE	138	1.74	240	JE/JY	170224	Y	70+d - 3Mv	FRX
7E	WEAN MALE	138	1.74	240	JE/JY	150224	Y	70+d - 3Mv	JEX
9	WEAN MALE	290	2.31	670	FR	20224	Y	70+d - 1Mv	FRX
9	WEAN MALE	290	2.31	670	FR	280124	Y	70+d - 1Mv	FR

9A	WEAN MALE	245	2.55	625	FR	300124	Y	70+d - 1Mv	FR
9A	WEAN FEMALE	245	2.55	625	FR	290124	Y	70+d - 1Mv	FRX
9A	WEAN MALE	245	2.55	625	FR	290124	Y	70+d - 1Mv	FR
9B	WEAN MALE	245	2.82	690	AA	250424	Y	70+d - 1Mv	FR
9C	WEAN MALE	282	2.38	670	FR	50324	Y	70+d - 1Mv	FRX
9C	WEAN MALE	282	2.38	670	FR	210224	Y	70+d - 1Mv	FR
9D	WEAN MALE	237	2.53	600	FR	10324	Y	70+d - 1Mv	FR
9D	WEAN MALE	237	2.53	600	FR	80324	Y	70+d - 1Mv	FR
10	WEAN MALE	250	3.68	920	CH	40424	Y	70+d - 1Mv	CH
11	WEAN MALE	258	2.87	740	HE	30224	N	- 2Mv	FR
11	WEAN MALE	258	2.87	740	HE	240124	N	- 2Mv	FRX
11	WEAN MALE	258	2.87	740	HE	120224	N	- 2Mv	FR
11	WEAN MALE	258	2.87	740	HE	50224	N	- 2Mv	FR
11	WEAN MALE	258	2.87	740	HE	170224	N	- 2Mv	FR
11	WEAN MALE	258	2.87	740	HE	160224	N	- 2Mv	SIX
13C	WEAN MALE	211	4.22	890	CH	40624	N	- 2Mv	LMX
13C	WEAN MALE	211	4.22	890	LM	60424	N	- 2Mv	CHX
13C	WEAN MALE	211	4.22	890	LM	250524	N	- 2Mv	LMX
13C	WEAN MALE	211	4.22	890	LM	240524	N	- 2Mv	LMX
13C	WEAN MALE	211	4.22	890	LM	140324	N	- 2Mv	SAX
13C	WEAN MALE	211	4.22	890	LM	90524	N	- 2Mv	LMX
14D	WEAN MALE	244	3.73	910	CH	300424	N	- 2Mv	LMX
14D	WEAN MALE	244	3.73	910	CH	140424	N	- 2Mv	CHX
16A	WEAN MALE	281	2.53	710	HE	40224	Y	70+d - 1Mv	FR
16A	WEAN MALE	281	2.53	710	HE	180124	Y	70+d - 1Mv	NRX
16A	WEAN MALE	281	2.53	710	HE	210124	Y	70+d - 1Mv	FR
16A	WEAN MALE	281	2.53	710	HE	120224	Y	70+d - 1Mv	FR
16B	WEAN MALE	256	3.05	780	HE	230124	Y	70+d - 1Mv	FR
16B	WEAN MALE	256	3.05	780	HE	190124	Y	70+d - 1Mv	FR
16B	WEAN MALE	256	3.05	780	HE	190224	Y	70+d - 1Mv	FR
16B	WEAN MALE	256	3.05	780	HE	80224	Y	70+d - 1Mv	FRX
17	WEAN MALE	256	2.66	680	FR	50224	Y	70+d - 1Mv	FR
17	WEAN MALE	256	2.66	680	FR	90224	Y	70+d - 1Mv	FR
17	WEAN MALE	256	2.66	680	FR	90224	Y	70+d - 1Mv	FR
17	WEAN MALE	256	2.66	680	FR	190224	Y	70+d - 1Mv	FR
17	WEAN MALE	256	2.66	680	FR	240224	Y	70+d - 1Mv	FR
17	WEAN MALE	256	2.66	680	FR	30224	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	190224	Y	70+d - 1Mv	FRX
17A	WEAN MALE	215	2.70	580	FR	70224	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	70224	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	30224	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	310124	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	10224	Y	70+d - 1Mv	FR
17A	WEAN MALE	215	2.70	580	FR	220224	Y	70+d - 1Mv	FR
18B	WEAN MALE	200	2.55	510	FR	190224	Y	70+d - 1Mv	FR
18B	WEAN MALE	200	2.55	510	FR	160224	Y	70+d - 1Mv	FR
18B	WEAN MALE	200	2.55	510	FR	90224	Y	70+d - 1Mv	FR
18B	WEAN MALE	200	2.55	510	FR	220224	Y	70+d - 1Mv	FR
18B	WEAN MALE	200	2.55	510	FR	200224	Y	70+d - 1Mv	FR
18C	WEAN MALE	218	3.03	660	AA	80324	Y	70+d - 1Mv	FR

18C	WEAN MALE	218	3.03	660	AA	20324	Y	70+d - 1Mv	FR
18C	WEAN MALE	218	3.03	660	AA	290224	Y	70+d - 1Mv	FR
18C	WEAN MALE	218	3.03	660	AA	160224	Y	70+d - 1Mv	FR
18C	WEAN MALE	218	3.03	660	FR	160324	Y	70+d - 1Mv	FR
18D	WEAN MALE	185	2.92	540	AA	50324	Y	70+d - 1Mv	FR
18D	WEAN MALE	185	2.92	540	AA	270324	Y	70+d - 1Mv	FR
19H	WEAN MALE	218	2.89	630	HE	230324	Y	70+d - 1Mv	FR
19H	WEAN MALE	218	2.89	630	HE	20324	Y	70+d - 1Mv	FR
19H	WEAN MALE	218	2.89	630	HE	70324	Y	70+d - 1Mv	FRX
19K	WEAN MALE	267	2.85	760	HE	120224	Y	70+d - 1Mv	FRX
19K	WEAN MALE	267	2.85	760	HE	150224	Y	70+d - 1Mv	FR
19L	WEAN MALE	230	2.96	680	HE	190324	Y	70+d - 1Mv	FR
19T	WEAN MALE	265	2.64	700	LM	40224	Y	70+d - 1Mv	FR
19X	WEAN MALE	270	2.11	570	LM	10224	Y	70+d - 1Mv	JEX
20	WEAN MALE	202	3.17	640	AA	170224	Y	70+d - 1Mv	FR
20	WEAN MALE	202	3.17	640	AA	150224	Y	70+d - 1Mv	FR
20	WEAN MALE	202	3.17	640	AA	120324	Y	70+d - 1Mv	FR
20	WEAN MALE	202	3.17	640	AA	140224	Y	70+d - 1Mv	FR
20	WEAN MALE	202	3.17	640	AA	270224	Y	70+d - 1Mv	FR
20A	WEAN MALE	220	2.95	650	AA	270224	Y	70+d - 1Mv	FR
20A	WEAN MALE	220	2.95	650	AA	240224	Y	70+d - 1Mv	FR
20A	WEAN MALE	220	2.95	650	AA	200224	Y	70+d - 1Mv	FR
20A	WEAN MALE	220	2.95	650	AA	240224	Y	70+d - 1Mv	FR
20A	WEAN MALE	220	2.95	650	AA	110224	Y	70+d - 1Mv	FR
20B	WEAN MALE	218	3.26	710	AA	160324	Y	70+d - 1Mv	FR
20B	WEAN MALE	218	3.26	710	AA	210224	Y	70+d - 1Mv	FR
20B	WEAN MALE	218	3.26	710	AA	40324	Y	70+d - 1Mv	FR
20B	WEAN MALE	218	3.26	710	AA	260224	Y	70+d - 1Mv	FR
22	WEAN MALE	230	2.87	660	HE	80224	Y	70+d - 1Mv	FR
22	WEAN MALE	230	2.87	660	HE	190224	Y	70+d - 1Mv	FR
22	WEAN MALE	230	2.87	660	HE	160224	Y	70+d - 1Mv	FR
22A	WEAN MALE	195	2.72	530	HE	90224	Y	70+d - 1Mv	FR
22B	WEAN MALE	185	2.49	460	FR	220224	Y	70+d - 1Mv	FR
22B	WEAN MALE	185	2.49	460	FR	170224	Y	70+d - 1Mv	FR
22C	WEAN MALE	285	2.18	620	FR	281223	Y	70+d - 1Mv	FRX
22D	WEAN MALE	245	2.37	580	FR	300124	Y	70+d - 1Mv	FR
22E	WEAN MALE	230	2.87	660	HE	240224	Y	70+d - 1Mv	FR
22H	WEAN MALE	270	2.67	720	HE	110224	Y	70+d - 1Mv	FR
22K	WEAN MALE	275	2.55	700	AA	30124	Y	70+d - 1Mv	FRX
23	WEAN MALE	260	3.31	860	LM	10424	Y	70+d - 1Mv	FR
23A	WEAN MALE	247	2.91	720	LM	30424	Y	70+d - 1Mv	FR
23A	WEAN MALE	247	2.91	720	LM	30424	Y	70+d - 1Mv	FR
23B	WEAN MALE	292	2.40	700	FR	170224	Y	70+d - 1Mv	FR
23B	WEAN MALE	292	2.40	700	FR	240224	Y	70+d - 1Mv	FR
23C	WEAN MALE	307	2.05	630	FR	280124	Y	70+d - 2Mv	FR
23C	WEAN MALE	307	2.05	630	FR	70224	Y	70+d - 2Mv	FR
25	WEAN MALE	287	3.28	940	CH	110424	N	- 1Mv	HEX
25	WEAN MALE	287	3.28	940	CH	280324	N	- 1Mv	HEX
25A	WEAN MALE	270	2.44	660	AA	120424	N	- 1Mv	SAX
25B	WEAN MALE	235	3.40	800	CH	120424	N	- 1Mv	HEX

26	WEAN MALE	255	2.43	620	SIM	30324	Y	70+d - 1Mv	FR
26	WEAN MALE	255	2.43	620	SIM	210224	Y	70+d - 1Mv	FR
26	WEAN MALE	255	2.43	620	SIM	10324	Y	70+d - 1Mv	FR
26	WEAN MALE	255	2.43	620	SIM	10324	Y	70+d - 1Mv	FRX
26A	WEAN MALE	206	3.35	690	SIM	180324	Y	70+d - 1Mv	SIX
26A	WEAN MALE	206	3.35	690	SIM	270324	Y	70+d - 1Mv	FR
26A	WEAN MALE	206	3.35	690	SIM	40324	Y	70+d - 1Mv	SIX
26A	WEAN MALE	206	3.35	690	SIM	270224	Y	70+d - 1Mv	FRX
26B	WEAN MALE	205	3.07	630	SIM	260324	Y	70+d - 1Mv	FRX
26B	WEAN MALE	205	3.07	630	SIM	260224	Y	70+d - 1Mv	FR
26C	WEAN MALE	250	2.88	720	AA	210324	Y	70+d - 1Mv	SIX
27	WEAN MALE	334	3.11	1040	AA	300524	Y	70+d - 1Mv	AAX
27	WEAN MALE	334	3.11	1040	AA	10624	Y	70+d - 1Mv	BBX
27	WEAN MALE	334	3.11	1040	AA	290524	Y	70+d - 1Mv	AAX
27	WEAN MALE	334	3.11	1040	AA	10624	Y	70+d - 1Mv	AAX
27	WEAN MALE	334	3.11	1040	AA	280524	Y	70+d - 1Mv	SAX
27	WEAN MALE	334	3.11	1040	AA	300524	Y	70+d - 1Mv	AAX
27	WEAN MALE	334	3.11	1040	AA	10624	Y	70+d - 1Mv	AAX
27	WEAN MALE	334	3.11	1040	AA	280524	Y	70+d - 1Mv	AAX
27A	WEAN MALE	390	2.82	1100	AA	20624	Y	70+d - 1Mv	GAX
27A	WEAN MALE	390	2.82	1100	AA	290524	Y	70+d - 1Mv	AAX
27B	WEAN MALE	210	2.86	600	AA	30624	Y	70+d - 1Mv	AAX
28	WEAN MALE	415	2.89	1200	CH	90124	N	- 1Mv	AAX
28	WEAN MALE	415	2.89	1200	CH	301223	N	- 1Mv	AAX
28	WEAN MALE	415	2.89	1200	CH	271223	N	- 1Mv	AAX
28A	WEAN MALE	275	2.55	700	CH	290623	N	- 1Mv	CHX
29	WEAN MALE	305	2.59	790	BB	120324	Y	70+d - 1Mv	FRX
29A	WEAN MALE	267	2.92	780	BB	200324	Y	70+d - 1Mv	FRX
29A	WEAN MALE	267	2.92	780	BB	60324	Y	70+d - 1Mv	NRX
29A	WEAN MALE	267	2.92	780	BB	120324	Y	70+d - 1Mv	FRX
29A	WEAN MALE	267	2.92	780	BB	230324	Y	70+d - 1Mv	FRX
29B	WEAN MALE	230	2.65	610	CH	290324	Y	70+d - 1Mv	FRX
29B	WEAN MALE	230	2.65	610	CH	250324	Y	70+d - 1Mv	FR
29C	WEAN MALE	255	2.43	620	BB	50424	Y	70+d - 1Mv	FRX
29C	WEAN MALE	255	2.43	620	CH	160324	Y	70+d - 1Mv	JEX
30	WEAN MALE	236	2.54	600	AA	270224	Y	70+d - 1Mv	JEX
30	WEAN MALE	236	2.54	600	AA	290324	Y	70+d - 1Mv	JEX
30	WEAN MALE	236	2.54	600	AA	150324	Y	70+d - 1Mv	FRX
30A	WEAN MALE	290	2.10	610	FR	170224	Y	70+d - 1Mv	FRX
30B	WEAN MALE	235	1.40	330	FR	90224	Y	70+d - 1Mv	FRX
30B	WEAN MALE	235	1.40	330	JE/JY	290324	Y	70+d - 1Mv	JEX
30C	WEAN MALE	215	2.14	460	FR	240224	Y	70+d - 1Mv	FRX
30C	WEAN MALE	215	2.14	460	FR	180324	Y	70+d - 1Mv	FRX
30C	WEAN MALE	215	2.14	460	FR	50424	Y	70+d - 1Mv	FRX
30C	WEAN MALE	215	2.14	460	FR	180224	Y	70+d - 1Mv	FRX
30C	WEAN MALE	215	2.14	460	FR	50424	Y	70+d - 1Mv	FRX
31	WEAN MALE	285	2.53	720	AA	260424	N	- 1Mv	HEX
31A	WEAN MALE	260	2.85	740	AA	250424	N	- 1Mv	AAX
31B	WEAN MALE	240	2.88	690	AA	260424	N	- 1Mv	AAX
31C	WEAN MALE	180	3.17	570	AA	210724	N	- 1Mv	HEX

31D	WEAN MALE	195	3.08	600	AA	200724	N	- 1Mv	HEX
31E	WEAN MALE	240	2.58	620	AA	250424	N	- 1Mv	FR
32	WEAN MALE	179	2.63	470	AA	120424	Y	70+d - 1Mv	FR
32	WEAN MALE	179	2.63	470	AA	290324	Y	70+d - 1Mv	SHX
32	WEAN MALE	179	2.63	470	AA	280324	Y	70+d - 1Mv	FR
32	WEAN MALE	179	2.63	470	AA	270324	Y	70+d - 1Mv	FR
32	WEAN MALE	179	2.63	470	AA	300324	Y	70+d - 1Mv	FR
33	WEAN MALE	275	2.40	660	AA	70224	Y	70+d - 1Mv	FR
33A	WEAN MALE	240	3.17	760	BB	70224	Y	70+d - 1Mv	FR
33B	WEAN MALE	220	3.23	710	HE	140224	Y	70+d - 1Mv	FR
33B	WEAN MALE	220	3.23	710	HE	280224	Y	70+d - 1Mv	FR
33C	WEAN MALE	205	3.22	660	HE	290224	Y	70+d - 1Mv	FR
33C	WEAN MALE	205	3.22	660	HE	130224	Y	70+d - 1Mv	FR
33C	WEAN MALE	205	3.22	660	HE	210224	Y	70+d - 1Mv	FR
33C	WEAN MALE	205	3.22	660	HE	290224	Y	70+d - 1Mv	FR
33D	WEAN MALE	197	3.05	600	AA	180324	Y	70+d - 1Mv	FR
33D	WEAN MALE	197	3.05	600	AA	20324	Y	70+d - 1Mv	FR

WEANLING HEIFERS

LOT	DESC	KG	€/KG	€/HD	Breed	DOB	QA	QAS	DAM
400	WEAN FEMALE	240	2.50	600	HE	80324	Y	70+d - 1Mv	FR
400	WEAN FEMALE	240	2.50	600	HE	80324	Y	70+d - 1Mv	FR
400	WEAN FEMALE	240	2.50	600	HE	60224	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	240	2.50	600	HE	80324	Y	70+d - 1Mv	FR
400	WEAN FEMALE	240	2.50	600	HE	30224	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	220	2.73	600	HE	230224	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	220	2.73	600	HE	80324	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	220	2.73	600	HE	160324	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	220	2.73	600	HE	10324	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	220	2.73	600	HE	10324	Y	70+d - 1Mv	FR
401	WEAN FEMALE	214	2.38	510	HE	230224	Y	70+d - 1Mv	FRX
401	WEAN FEMALE	214	2.38	510	HE	80324	Y	70+d - 1Mv	FRX
401	WEAN FEMALE	214	2.38	510	HE	190224	Y	70+d - 1Mv	FR
401	WEAN FEMALE	214	2.38	510	HE	270224	Y	70+d - 1Mv	FR
401	WEAN FEMALE	214	2.38	510	HE	250324	Y	70+d - 1Mv	FRX
401A	WEAN FEMALE	231	2.64	610	AA	210224	Y	70+d - 1Mv	FR
401A	WEAN FEMALE	231	2.64	610	AA	150224	Y	70+d - 1Mv	FR
401A	WEAN FEMALE	231	2.64	610	AA	30224	Y	70+d - 1Mv	FR
402	WEAN FEMALE	211	2.70	570	AA	80324	Y	70+d - 1Mv	FR
402	WEAN FEMALE	211	2.70	570	AA	60324	Y	70+d - 1Mv	FR
402	WEAN FEMALE	211	2.70	570	AA	250324	Y	70+d - 1Mv	FR
402	WEAN FEMALE	211	2.70	570	AA	230224	Y	70+d - 1Mv	FR
402	WEAN FEMALE	211	2.70	570	AA	260224	Y	70+d - 1Mv	FRX
402	WEAN FEMALE	211	2.70	570	AA	250224	Y	70+d - 1Mv	FR
402A	WEAN MALE	181	2.54	460	AA	100424	Y	70+d - 1Mv	FR
402A	WEAN FEMALE	181	2.54	460	AA	290324	Y	70+d - 1Mv	FR
402A	WEAN FEMALE	181	2.54	460	AA	50424	Y	70+d - 1Mv	FR
402B	WEAN FEMALE	192	2.29	440	AA	80324	Y	70+d - 1Mv	JEX
402B	WEAN FEMALE	192	2.29	440	AA	250324	Y	70+d - 1Mv	FR
403	WEAN FEMALE	275	2.55	700	AA	160324	Y	70+d - 1Mv	FR

403	WEAN FEMALE	275	2.55	700	AA	130324	Y	70+d - 1Mv	FR
403	WEAN FEMALE	275	2.55	700	AA	140324	Y	70+d - 1Mv	FRX
403A	WEAN FEMALE	218	2.89	630	AA	10424	Y	70+d - 1Mv	FRX
403A	WEAN FEMALE	218	2.89	630	AA	200324	Y	70+d - 1Mv	FR
403A	WEAN FEMALE	218	2.89	630	AA	180524	Y	70+d - 1Mv	FRX
403E	WEAN FEMALE	245	3.67	900	LM	90424	Y	70+d - 1Mv	CHX
403H	WEAN FEMALE	360	3.33	1200	CH	40424	Y	70+d - 1Mv	CH
403K	WEAN FEMALE	252	3.73	940	CH	110524	Y	70+d - 1Mv	CH
403K	WEAN FEMALE	252	3.73	940	CH	70424	Y	70+d - 1Mv	CH
404	WEAN FEMALE	182	1.21	220	AA	70224	Y	70+d - 1Mv	FR
404	WEAN FEMALE	182	1.21	220	AA	260124	Y	70+d - 1Mv	FR
404	WEAN FEMALE	182	1.21	220	AA	240224	Y	70+d - 1Mv	NRX
404	WEAN FEMALE	182	1.21	220	AA	240224	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	130	1.69	220	AA	100324	Y	70+d - 1Mv	FRX
404C	WEAN FEMALE	95	2.84	270	HE	90324	Y	70+d - 1Mv	FRX
404D	WEAN FEMALE	140	2.86	400	HE	280224	Y	70+d - 3Mv	FR
404D	WEAN FEMALE	140	2.86	400	HE	80324	Y	70+d - 1Mv	FR
404D	WEAN FEMALE	140	2.86	400	HE	30324	Y	70+d - 1Mv	FR
404E	WEAN FEMALE	165	2.12	350	LM	150224	Y	70+d - 3Mv	FRX
405D	WEAN FEMALE	213	3.29	700	HE	200224	Y	70+d - 1Mv	FR
405D	WEAN MALE	213	3.29	700	HE	140224	Y	70+d - 1Mv	FR
405D	WEAN FEMALE	213	3.29	700	HE	100324	Y	70+d - 1Mv	FR
405D	WEAN FEMALE	213	3.29	700	HE	100224	Y	70+d - 1Mv	FRX
405D	WEAN FEMALE	213	3.29	700	HE	60224	Y	70+d - 1Mv	FR
405D	WEAN FEMALE	213	3.29	700	HE	110224	Y	70+d - 1Mv	FR
405D	WEAN FEMALE	213	3.29	700	HE	70224	Y	70+d - 1Mv	FRX
405D	WEAN FEMALE	213	3.29	700	LM	30324	Y	70+d - 1Mv	FRX
407	WEAN FEMALE	306	2.42	740	AA	50224	Y	70+d - 1Mv	FR
407	WEAN FEMALE	306	2.42	740	AA	110224	Y	70+d - 1Mv	FR
407	WEAN FEMALE	306	2.42	740	AA	140224	Y	70+d - 1Mv	FR
407A	WEAN FEMALE	330	2.12	700	HE	80224	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	30324	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	220224	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	120324	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	30324	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	270224	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	30324	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	50324	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	190224	Y	70+d - 1Mv	FR
408E	WEAN FEMALE	206	2.96	610	AA	110324	Y	70+d - 1Mv	FR
409	WEAN FEMALE	221	3.03	670	HE	270124	Y	70+d - 1Mv	FRX
409	WEAN FEMALE	221	3.03	670	HE	50224	Y	70+d - 1Mv	FR
409	WEAN FEMALE	221	3.03	670	HE	160224	Y	70+d - 1Mv	FRX
409	WEAN FEMALE	221	3.03	670	HE	90224	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	211	3.36	710	HE	200224	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	211	3.36	710	HE	220224	Y	70+d - 1Mv	FRX
409A	WEAN FEMALE	211	3.36	710	HE	200224	Y	70+d - 1Mv	FR
410	WEAN FEMALE	340	3.47	1180	CH	280324	N	- 1Mv	BBX
410A	WEAN FEMALE	255	3.29	840	CH	170524	N	- 1Mv	SHX
410B	WEAN FEMALE	310	3.32	1030	CH	280324	N	- 1Mv	SAX

410C	WEAN FEMALE	275	2.62	720	AA	110424	N	- 1Mv	SAX
410H	WEAN FEMALE	265	2.72	720	SIM	20624	Y	70+d - 1Mv	SI
410K	WEAN FEMALE	260	2.58	670	AA	280524	Y	70+d - 1Mv	CHX
411	WEAN FEMALE	375	3.36	1260	CH	60124	N	- 1Mv	CHX
411	WEAN FEMALE	375	3.36	1260	CH	40124	N	- 1Mv	CHX
411A	WEAN FEMALE	345	2.84	980	CH	90324	N	- 1Mv	AAX
411B	WEAN FEMALE	305	3.28	1000	CH	260324	N	- 1Mv	CHX
411C	WEAN FEMALE	360	3.06	1100	CH	301223	N	- 1Mv	AAX
411D	WEAN FEMALE	235	2.51	590	AA	240424	N	- 1Mv	AAX
411E	WEAN FEMALE	285	2.39	680	HE	140224	N	- 2Mv	FR
411H	WEAN FEMALE	240	2.50	600	AA	240424	N	- 1Mv	HEX
412E	WEAN FEMALE	280	2.43	680	HE	220224	Y	70+d - 1Mv	FR
412E	WEAN FEMALE	280	2.43	680	HE	210224	Y	70+d - 1Mv	FR
412E	WEAN FEMALE	280	2.43	680	HE	110224	Y	70+d - 1Mv	FRX
412H	WEAN FEMALE	290	2.52	730	AA	240124	Y	70+d - 2Mv	FR
413	WEAN FEMALE	223	2.65	590	AA	200324	Y	70+d - 1Mv	FR
413	WEAN FEMALE	223	2.65	590	AA	220324	Y	70+d - 1Mv	FRX
413	WEAN FEMALE	223	2.65	590	AA	270224	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	225	2.53	570	HE	240324	Y	70+d - 1Mv	FR
413B	WEAN FEMALE	163	3.07	500	AA	90424	Y	70+d - 1Mv	FR
413B	WEAN FEMALE	163	3.07	500	AA	290324	Y	70+d - 1Mv	SHX
413B	WEAN FEMALE	163	3.07	500	AA	310324	Y	70+d - 1Mv	FR
413C	WEAN FEMALE	240	1.67	400	FR	181223	Y	70+d - 1Mv	FR
413D	WEAN FEMALE	200	1.05	210	FR	110224	Y	70+d - 1Mv	FR
414	WEAN FEMALE	248	2.86	710	LM	190324	Y	30d - 1Mv	SIX
414	WEAN FEMALE	248	2.86	710	LM	120324	Y	30d - 1Mv	SIX
414	WEAN FEMALE	248	2.86	710	LM	130424	Y	30d - 1Mv	SIX
414	WEAN FEMALE	248	2.86	710	LM	100324	Y	30d - 1Mv	FR
414A	WEAN FEMALE	230	2.83	650	LM	140424	Y	30d - 1Mv	FR
414A	WEAN FEMALE	230	2.83	650	LM	170324	Y	30d - 1Mv	FR
414B	WEAN FEMALE	230	2.57	590	LM	120424	Y	30d - 1Mv	JEX
414B	WEAN FEMALE	230	2.57	590	LM	140424	Y	30d - 1Mv	SIX
415	WEAN FEMALE	305	2.95	900	CH	300524	N	- 2Mv	AAX
415	WEAN FEMALE	305	2.95	900	CH	40324	N	- 2Mv	AAX
415	WEAN FEMALE	305	2.95	900	CH	60324	N	- 2Mv	AAX