

CALVES									
Lot No.	Type Des	WT	PPK	PPH	Breed	DOB	QA	QA DAYS	Dam Breed
200	M CALF	0	0	365	FR	290926	Y	23d - 1Mv	FR
200	M CALF	0	0	365	FR	220926	Y	30d - 1Mv	FR
201	M CALF	0	0	370	FR	230926	Y	29d - 1Mv	FR
201	M CALF	0	0	370	FR	250926	Y	27d - 1Mv	FR
202	M CALF	0	0	370	FR	280926	Y	24d - 1Mv	FR
205	M CALF	0	0	520	AA	260826	Y	57d - 1Mv	FR
206	F CALF	0	0	470	AA	260926	Y	26d - 1Mv	FR
207	M CALF	0	0	520	AA	260926	Y	26d - 1Mv	FR
208	M CALF	0	0	410	AA	31026	Y	19d - 1Mv	FR
209	M CALF	0	0	520	AA	250926	Y	27d - 1Mv	FRX
210	F CALF	0	0	800	SHX	150926	Y	37d - 1Mv	NRX
211	M CALF	0	0	850	HE	10926	Y	51d - 1Mv	HEX
WEANLING BULLS/BULLCOKS									
Lot No.	Type Des	WT	PPK	PPH	Breed	DOB	QA	QA DAYS	Dam Breed
1A	WEAN MALE	244	430.3	1050	AA	170226	Y	70+d - 1Mv	FR
1A	WEAN MALE	244	430.3	1050	AA	120226	Y	70+d - 1Mv	FR
1A	WEAN MALE	244	430.3	1050	AA	20226	Y	70+d - 1Mv	FR
1A	WEAN MALE	244	430.3	1050	AA	70226	Y	70+d - 1Mv	FR
1A	WEAN MALE	244	430.3	1050	AA	100226	Y	70+d - 1Mv	FR
1A	WEAN MALE	244	430.3	1050	AA	50226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	100226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	140226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	150226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	30226	Y	70+d - 1Mv	JEX
1B	WEAN MALE	230	447.8	1030	AA	20226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	50226	Y	70+d - 1Mv	FR
1B	WEAN MALE	230	447.8	1030	AA	40226	Y	70+d - 1Mv	FR
2C	WEAN MALE	227	458.1	1040	AA	70226	Y	70+d - 1Mv	FR
2C	WEAN MALE	227	458.1	1040	AA	250126	Y	70+d - 1Mv	FR
2C	WEAN MALE	227	458.1	1040	AA	130226	Y	70+d - 1Mv	FR
2C	WEAN MALE	227	458.1	1040	AA	150226	Y	70+d - 1Mv	JEX
2C	WEAN MALE	227	458.1	1040	AA	60226	Y	70+d - 1Mv	FR
2C	WEAN MALE	227	458.1	1040	AA	30226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	130226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	50226	Y	70+d - 1Mv	FRX
3	WEAN MALE	261	433	1130	AA	90226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	50226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	50226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	130226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	220226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	60226	Y	70+d - 1Mv	FR
3	WEAN MALE	261	433	1130	AA	130226	Y	70+d - 1Mv	AAX
4C	WEAN MALE	227	462.6	1050	AA	220226	Y	70+d - 1Mv	FRX
4C	WEAN MALE	227	462.6	1050	AA	180226	Y	70+d - 1Mv	FRX
4C	WEAN MALE	227	462.6	1050	AA	260326	Y	70+d - 1Mv	FRX
4C	WEAN MALE	227	462.6	1050	AA	160226	Y	70+d - 1Mv	FR

4C	WEAN MALE	227	462.6	1050	AA	150226	Y	70+d - 1Mv	FR
4C	WEAN MALE	227	462.6	1050	AA	20326	Y	70+d - 1Mv	FR
4C	WEAN MALE	227	462.6	1050	AA	240226	Y	70+d - 1Mv	FR
4C	WEAN MALE	227	462.6	1050	AA	70326	Y	70+d - 1Mv	FR
4C	WEAN MALE	227	462.6	1050	AA	150326	Y	70+d - 1Mv	FR
4E	WEAN MALE	295	430.5	1270	LM	290326	Y	70+d - 1Mv	HEX
4H	WEAN MALE	221	575	1270	CH	290526	N	- 2Mv	LMX
4H	WEAN MALE	221	575	1270	LM	100426	N	- 2Mv	LMX
4H	WEAN MALE	221	543	1200	AA	310326	N	- 2Mv	SIX
4H	WEAN MALE	221	575	1270	CH	200726	N	- 2Mv	AAX
4H	WEAN MALE	221	575	1270	CH	160526	N	- 2Mv	SHX
4H	WEAN MALE	221	575	1270	CH	140426	N	- 2Mv	BBX
4K	WEAN MALE	207	579.7	1200	LM	300526	N	- 2Mv	LMX
4K	WEAN MALE	207	579.7	1200	LM	10526	N	- 2Mv	HEX
4K	WEAN MALE	207	579.7	1200	CH	30626	N	- 2Mv	LMX
4K	WEAN MALE	207	579.7	1200	LM	140426	N	- 2Mv	LMX
4K	WEAN MALE	207	579.7	1200	LM	300426	N	- 2Mv	IM
4K	WEAN MALE	207	579.7	1200	LM	200526	N	- 2Mv	LMX
4K	WEAN MALE	207	579.7	1200	LM	120226	N	- 2Mv	CHX
4K	WEAN MALE	207	579.7	1200	HE	30526	N	- 2Mv	LMX
5A	WEAN MALE	400	445	1780	CH	250326	Y	70+d - 1Mv	SIX
5B	WEAN MALE	320	506.3	1620	CH	60526	Y	70+d - 1Mv	HEX
5C	WEAN MALE	265	445.3	1180	AA	10526	Y	70+d - 1Mv	FRX
5C	WEAN MALE	265	445.3	1180	AA	290326	Y	70+d - 1Mv	FRX
5C	WEAN MALE	265	445.3	1180	AA	270326	Y	70+d - 1Mv	FR
5C	WEAN MALE	265	445.3	1180	AA	250326	Y	70+d - 1Mv	FR
5C	WEAN MALE	265	445.3	1180	AA	240326	Y	70+d - 1Mv	FR
5C	WEAN MALE	265	445.3	1180	AA	240326	Y	70+d - 1Mv	FR
5C	WEAN MALE	265	445.3	1180	AA	240326	Y	70+d - 1Mv	FR
5D	WEAN MALE	237	464.1	1100	AA	70426	Y	70+d - 1Mv	FR
5D	WEAN MALE	237	464.1	1100	AA	40426	Y	70+d - 1Mv	FR
5D	WEAN MALE	237	464.1	1100	AA	290326	Y	70+d - 1Mv	FR
5D	WEAN FEMALE	237	464.1	1100	AA	290326	Y	70+d - 1Mv	FRX
5D	WEAN MALE	237	464.1	1100	AA	280326	Y	70+d - 1Mv	FR
5D	WEAN MALE	237	464.1	1100	AA	240326	Y	70+d - 1Mv	FR
6A	WEAN MALE	214	467.3	1000	AA	10426	Y	70+d - 1Mv	FR
6A	WEAN MALE	214	467.3	1000	AA	10426	Y	70+d - 1Mv	FR
6A	WEAN MALE	214	467.3	1000	AA	20426	Y	70+d - 1Mv	FR
6A	WEAN MALE	214	467.3	1000	AA	30426	Y	70+d - 1Mv	FR
6A	WEAN MALE	214	467.3	1000	AA	50426	Y	70+d - 1Mv	FR
6B	WEAN MALE	274	394.2	1080	FR	270226	Y	70+d - 1Mv	FR
6B	WEAN MALE	274	394.2	1080	FR	270226	Y	70+d - 1Mv	FR
6B	WEAN MALE	274	394.2	1080	FR	270226	Y	70+d - 1Mv	FR
6B	WEAN MALE	274	394.2	1080	FR	20326	Y	70+d - 1Mv	FR
6B	WEAN MALE	274	394.2	1080	FR	260326	Y	70+d - 1Mv	FR
7C	WEAN MALE	250	408	1020	FR	280226	Y	70+d - 1Mv	FRX
7C	WEAN MALE	250	408	1020	FR	10326	Y	70+d - 1Mv	FR
7C	WEAN MALE	250	408	1020	FR	20326	Y	70+d - 1Mv	FR
7C	WEAN MALE	250	408	1020	FR	240326	Y	70+d - 1Mv	FR

7C	WEAN MALE	250	408	1020	FR	260326	Y	70+d - 1Mv	FRX
7C	WEAN MALE	250	408	1020	FR	270326	Y	70+d - 1Mv	FR
7D	WEAN MALE	207	372	770	FR	10326	Y	70+d - 1Mv	FR
7D	WEAN MALE	207	372	770	FR	50426	Y	70+d - 1Mv	FRX
8A	WEAN MALE	267	516.9	1380	LM	280226	N	- 2Mv	LMX
8A	WEAN MALE	267	516.9	1380	LM	291025	N	- 2Mv	LMX
8A	WEAN MALE	267	516.9	1380	LM	120126	N	- 2Mv	LMX
8A	WEAN MALE	267	516.9	1380	LM	120526	N	- 2Mv	HEX
8A	WEAN MALE	267	516.9	1380	SIM	240226	N	- 2Mv	CHX
9A	WEAN MALE	231	450.2	1040	AA	70326	N	- 2Mv	FRX
9A	WEAN MALE	231	450.2	1040	AA	210326	N	- 2Mv	FRX
9A	WEAN MALE	231	450.2	1040	AA	110326	N	- 2Mv	FRX
9A	WEAN MALE	231	450.2	1040	AA	20326	N	- 2Mv	FRX
9A	WEAN MALE	231	450.2	1040	AA	280326	N	- 2Mv	FRX
9A	WEAN MALE	231	450.2	1040	AA	160426	N	- 2Mv	FRX
9C	WEAN MALE	295	372.9	1100	AA	150326	N	- 4Mv	FR
9D	WEAN MALE	257	400.8	1030	AA	30126	N	- 3Mv	FR
9D	WEAN MALE	257	400.8	1030	AA	241225	N	- 3Mv	FR
12	WEAN MALE	288	441	1270	HE	240226	Y	70+d - 1Mv	FR
12	WEAN MALE	288	441	1270	HE	240326	Y	70+d - 1Mv	FR
12	WEAN MALE	288	441	1270	HE	110226	Y	70+d - 1Mv	FR
12	WEAN MALE	288	441	1270	HE	270226	Y	70+d - 1Mv	FR
13	WEAN MALE	170	352.9	600	AA	200426	Y	70+d - 2Mv	FRX
13	WEAN MALE	170	352.9	600	AA	200426	Y	70+d - 2Mv	FRX
13	WEAN MALE	170	352.9	600	AA	210426	Y	70+d - 2Mv	FR
13B	WEAN MALE	280	421.4	1180	HE	180626	Y	70+d - 1Mv	FR
13C	WEAN MALE	215	474.4	1020	HE	200226	Y	70+d - 1Mv	FR
14	WEAN MALE	260	415	1080	AA	310326	Y	70+d - 1Mv	FRX
14	WEAN MALE	260	415	1080	AA	70326	Y	70+d - 1Mv	FR
14A	WEAN MALE	220	454.5	1000	AA	60226	Y	70+d - 1Mv	FRX
14A	WEAN MALE	220	454.5	1000	AA	70226	Y	70+d - 1Mv	FR
14B	WEAN MALE	221	524.9	1160	HE	240226	Y	70+d - 1Mv	FR
14B	WEAN MALE	221	524.9	1160	HE	280226	Y	70+d - 1Mv	FR
14B	WEAN MALE	221	524.9	1160	HE	160226	Y	70+d - 1Mv	FRX
15A	WEAN MALE	205	419.5	860	LM	120226	Y	70+d - 1Mv	FR
15A	WEAN MALE	205	419.5	860	LM	90226	Y	70+d - 1Mv	FRX
15B	WEAN MALE	224	446.4	1000	AA	150226	Y	70+d - 1Mv	FRX
15B	WEAN MALE	224	446.4	1000	AA	180226	Y	70+d - 1Mv	FR
15B	WEAN MALE	224	446.4	1000	AA	50226	Y	70+d - 1Mv	FRX
15B	WEAN MALE	224	446.4	1000	AA	80326	Y	70+d - 1Mv	FRX
15B	WEAN MALE	224	446.4	1000	AA	100226	Y	70+d - 1Mv	FR
15B	WEAN MALE	224	446.4	1000	AA	100326	Y	70+d - 1Mv	FRX
15B	WEAN MALE	224	446.4	1000	AA	90326	Y	70+d - 1Mv	FR
16	WEAN MALE	280	350	980	FR	300126	Y	70+d - 1Mv	FR
16	WEAN MALE	280	350	980	FR	260126	Y	70+d - 1Mv	FRX
16A	WEAN MALE	238	474.8	1130	HE	170226	Y	70+d - 1Mv	FR
16A	WEAN MALE	238	474.8	1130	HE	170226	Y	70+d - 1Mv	FR
16A	WEAN FEMALE	238	474.8	1130	HE	200226	Y	70+d - 1Mv	FR

16A	WEAN MALE	238	474.8	1130	HE	170226	Y	70+d - 1Mv	FRX
16B	WEAN MALE	227	458.1	1040	LM	270226	Y	70+d - 1Mv	FR
16B	WEAN FEMALE	227	458.1	1040	LM	200226	Y	70+d - 1Mv	FR
16B	WEAN MALE	227	458.1	1040	HE	160326	Y	70+d - 1Mv	FR
16B	WEAN MALE	227	458.1	1040	LM	260226	Y	70+d - 1Mv	FRX
17A	WEAN MALE	370	370.3	1370	LM	111125	Y	70+d - 1Mv	SIX
17A	WEAN MALE	370	370.3	1370	LM	161125	Y	70+d - 1Mv	SIX
17B	WEAN MALE	327	419	1370	LM	141125	Y	70+d - 1Mv	LMX
17B	WEAN MALE	327	419	1370	LM	91125	Y	70+d - 1Mv	LMX
18	WEAN MALE	288	347.2	1000	FR	60226	Y	70+d - 1Mv	FR
18	WEAN MALE	288	347.2	1000	FR	260126	Y	70+d - 1Mv	FR
18	WEAN MALE	288	347.2	1000	FR	150226	Y	70+d - 1Mv	FR
18A	WEAN MALE	288	326.4	940	FR	310126	Y	70+d - 1Mv	FR
18A	WEAN MALE	288	326.4	940	FR	270126	Y	70+d - 1Mv	FR
18A	WEAN MALE	288	326.4	940	FR	270126	Y	70+d - 1Mv	FR
18B	WEAN MALE	240	329.2	790	FR	110226	Y	70+d - 1Mv	FR
18B	WEAN MALE	240	329.2	790	FR	90226	Y	70+d - 1Mv	FR
18H	WEAN MALE	296	608	1800	CH	160326	N	- 2Mv	SHX
18K	WEAN MALE	238	471	1120	AU	90326	N	- 2Mv	FR
18K	WEAN MALE	238	471	1120	AU	30326	N	- 2Mv	FR
18K	WEAN MALE	238	471	1120	AU	50326	N	- 2Mv	FR
18K	WEAN MALE	238	471	1120	AU	280226	N	- 2Mv	FR
18K	WEAN MALE	238	471	1120	AU	10326	N	- 2Mv	FR
18K	WEAN MALE	238	471	1120	AU	100326	N	- 2Mv	FR
19	WEAN MALE	200	445	890	AA	260226	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	180226	Y	70+d - 1Mv	FRX
19	WEAN MALE	200	445	890	AA	210326	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	170226	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	220226	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	120226	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	210326	Y	70+d - 1Mv	FRX
19	WEAN MALE	200	445	890	AA	190326	Y	70+d - 1Mv	FRX
19	WEAN MALE	200	445	890	AA	120326	Y	70+d - 1Mv	FR
19	WEAN MALE	200	445	890	AA	100326	Y	70+d - 1Mv	FRX
19	WEAN MALE	200	445	890	AA	160226	Y	70+d - 1Mv	FR
19A	WEAN MALE	176	437.5	770	AA	60326	Y	70+d - 1Mv	FR
19A	WEAN MALE	176	437.5	770	AA	30326	Y	70+d - 1Mv	FR
19A	WEAN MALE	176	437.5	770	AA	220226	Y	70+d - 1Mv	FRX
19A	WEAN MALE	176	437.5	770	AA	40326	Y	70+d - 1Mv	FR
19A	WEAN MALE	176	437.5	770	AA	280326	Y	70+d - 1Mv	FRX
19A	WEAN MALE	176	437.5	770	AA	60326	Y	70+d - 1Mv	FR
19A	WEAN MALE	176	437.5	770	AA	250326	Y	70+d - 1Mv	FR
19B	WEAN MALE	212	424.5	900	HE	280226	Y	70+d - 1Mv	FRX
19B	WEAN MALE	212	424.5	900	HE	30326	Y	70+d - 1Mv	FRX
19C	WEAN MALE	265	434	1150	AA	20226	Y	70+d - 1Mv	FRX
19D	WEAN MALE	225	328.9	740	FR	20326	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	260226	Y	70+d - 1Mv	FRX
20	WEAN MALE	168	386.9	650	FR	280226	Y	70+d - 1Mv	FR

20	WEAN MALE	168	386.9	650	FR	250226	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	240426	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	110426	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	100226	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	250226	Y	70+d - 1Mv	FR
20	WEAN MALE	168	386.9	650	FR	70426	Y	70+d - 1Mv	FR
20A	WEAN MALE	180	444.4	800	HE	80426	Y	70+d - 1Mv	FR
20A	WEAN MALE	180	444.4	800	HE	250326	Y	70+d - 1Mv	FR
21A	WEAN MALE	260	319.2	830	FR	170226	Y	70+d - 1Mv	FRX
21A	WEAN MALE	260	319.2	830	FR	220226	Y	70+d - 1Mv	FR
21B	WEAN MALE	200	450	900	AA	60326	Y	70+d - 1Mv	FR
21B	WEAN MALE	200	450	900	AA	80426	Y	70+d - 1Mv	FR
21B	WEAN MALE	200	450	900	AA	220226	Y	70+d - 1Mv	FR
21C	WEAN MALE	252	396.8	1000	AA	250226	Y	70+d - 1Mv	FR
21C	WEAN MALE	252	396.8	1000	AA	160226	Y	70+d - 1Mv	FR
22A	WEAN MALE	250	392	980	AA	240226	Y	70+d - 1Mv	FRX
22A	WEAN MALE	250	392	980	AA	180226	Y	70+d - 1Mv	FR
22B	WEAN MALE	242	413.2	1000	HE	70226	Y	70+d - 2Mv	FR
22B	WEAN MALE	242	413.2	1000	HE	80226	Y	70+d - 2Mv	FR
22B	WEAN MALE	242	413.2	1000	HE	70226	Y	70+d - 2Mv	FR
22B	WEAN MALE	242	413.2	1000	HE	70226	Y	70+d - 2Mv	FR
22C	WEAN MALE	208	399	830	AA	250226	Y	70+d - 1Mv	FR
22C	WEAN MALE	208	399	830	AA	190326	Y	70+d - 1Mv	FR
22C	WEAN MALE	208	399	830	AA	140226	Y	70+d - 1Mv	FR
24	WEAN MALE	265	467.9	1240	CH	210126	Y	70+d - 1Mv	CHX
24B	WEAN MALE	300	566.7	1700	CH	140426	N	- 1Mv	AAX
24C	WEAN MALE	290	506.9	1470	CH	150426	N	- 1Mv	BAX
24D	WEAN MALE	260	592.3	1540	CH	250526	N	- 1Mv	CHX
24E	WEAN MALE	245	489.8	1200	CH	280526	N	- 1Mv	HEX
24H	WEAN MALE	330	460.6	1520	CH	150426	N	- 1Mv	LMX
25A	WEAN MALE	338	432	1460	HE	70226	Y	70+d - 1Mv	FR
25A	WEAN MALE	338	432	1460	HE	120226	Y	70+d - 1Mv	FR
25A	WEAN MALE	338	432	1460	HE	240126	Y	70+d - 1Mv	FRX
25A	WEAN MALE	338	432	1460	HE	70226	Y	70+d - 1Mv	FRX
25A	WEAN MALE	338	432	1460	HE	120226	Y	70+d - 1Mv	FR
25A	WEAN MALE	338	432	1460	HE	250126	Y	70+d - 1Mv	FR
25A	WEAN MALE	338	432	1460	HE	240126	Y	70+d - 1Mv	FRX
26B	WEAN MALE	291	501.7	1460	HE	270226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	120226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	270226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	270226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	270226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	70226	Y	70+d - 1Mv	FR
26B	WEAN MALE	291	501.7	1460	HE	120226	Y	70+d - 1Mv	FR
26C	WEAN MALE	279	544.8	1520	HE	120226	Y	70+d - 1Mv	FR
26C	WEAN MALE	279	544.8	1520	HE	270226	Y	70+d - 1Mv	FR
26C	WEAN MALE	279	544.8	1520	HE	70226	Y	70+d - 1Mv	FR
26C	WEAN MALE	279	544.8	1520	HE	160326	Y	70+d - 1Mv	FR

26C	WEAN MALE	279	544.8	1520	HE	270226	Y	70+d - 1Mv	FR
27	WEAN MALE	262	572.5	1500	LM	210426	N	- 2Mv	CHX
27	WEAN MALE	262	572.5	1500	LM	20126	N	- 2Mv	LMX
27	WEAN MALE	262	572.5	1500	LM	20326	N	- 2Mv	LMX
27	WEAN MALE	262	572.5	1500	LM	130426	N	- 2Mv	LMX
27	WEAN MALE	262	572.5	1500	LM	190326	N	- 2Mv	CHX
27	WEAN MALE	262	572.5	1500	LM	180326	N	- 2Mv	LMX
28	WEAN MALE	239	560.7	1340	LM	300426	N	- 2Mv	SH
28	WEAN MALE	239	560.7	1340	LM	150326	N	- 2Mv	LMX
28	WEAN MALE	239	560.7	1340	LM	100426	N	- 2Mv	HEX
28	WEAN MALE	239	560.7	1340	LM	30526	N	- 2Mv	HEX
28	WEAN MALE	239	560.7	1340	LM	220526	N	- 2Mv	LMX
28	WEAN MALE	239	560.7	1340	LM	140526	N	- 2Mv	LMX
29A	WEAN MALE	219	324.2	710	FR	290126	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	310126	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	40226	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	10226	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	100226	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	10226	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	50226	N	- 2Mv	FR
29A	WEAN MALE	219	324.2	710	FR	40226	N	- 2Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	30226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	80226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	110226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	130226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	130226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	160226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	180226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	210226	Y	70+d - 1Mv	FR
30A	WEAN MALE	216	504.6	1090	HE	10326	Y	70+d - 1Mv	FR
31A	WEAN MALE	202	346.5	700	FR	10226	Y	70+d - 1Mv	FR
31A	WEAN MALE	202	346.5	700	FR	50226	Y	70+d - 1Mv	FR
31A	WEAN MALE	202	346.5	700	FR	80226	Y	70+d - 1Mv	FR
31A	WEAN MALE	202	346.5	700	FR	180226	Y	70+d - 1Mv	FR
31A	WEAN MALE	202	346.5	700	FR	200226	Y	70+d - 1Mv	FR
31B	WEAN MALE	221	362	800	FR	80226	Y	70+d - 1Mv	FR
31B	WEAN MALE	221	362	800	FR	70226	Y	70+d - 1Mv	FR
31B	WEAN MALE	221	362	800	FR	100226	Y	70+d - 1Mv	FR
31B	WEAN MALE	221	362	800	FR	140226	Y	70+d - 1Mv	FR
31B	WEAN MALE	221	362	800	FR	230226	Y	70+d - 1Mv	FR
32	WEAN MALE	510	341.2	1740	SIM	281025	Y	70+d - 1Mv	FR
32A	WEAN MALE	445	339.3	1510	SIM	291025	Y	70+d - 1Mv	FR
32B	WEAN MALE	400	356	1425	LM	281125	Y	70+d - 1Mv	FR
32E	WEAN MALE	165	436.4	720	AA	70426	Y	70+d - 1Mv	FR
32E	WEAN MALE	165	436.4	720	AA	110426	Y	70+d - 1Mv	FR
32H	WEAN MALE	160	425	680	AA	70426	Y	70+d - 1Mv	FR
32H	WEAN MALE	160	425	680	AA	70426	Y	70+d - 1Mv	FR
33A	WEAN MALE	301	335.5	1010	FR	30326	Y	70+d - 1Mv	FR

33A	WEAN MALE	301	335.5	1010	FR	250326	Y	70+d - 1Mv	FR
33A	WEAN MALE	301	335.5	1010	FR	250326	Y	70+d - 1Mv	FR
33A	WEAN MALE	301	335.5	1010	FR	10326	Y	70+d - 1Mv	FR
33A	WEAN MALE	301	335.5	1010	FR	250326	Y	70+d - 1Mv	FR
33A	WEAN MALE	301	335.5	1010	FR	250326	Y	70+d - 1Mv	FR
34C	WEAN MALE	203	482.8	980	AA	200226	Y	70+d - 1Mv	FR
34C	WEAN MALE	203	482.8	980	AA	190226	Y	70+d - 1Mv	FR
34C	WEAN MALE	203	482.8	980	AA	200226	Y	70+d - 1Mv	FR
34C	WEAN MALE	203	482.8	980	AA	230226	Y	70+d - 1Mv	FR
34D	WEAN MALE	260	315.4	820	FR	40226	Y	70+d - 1Mv	FR
34D	WEAN MALE	260	315.4	820	FR	280126	Y	70+d - 1Mv	FR
34D	WEAN MALE	260	315.4	820	FR	310126	Y	70+d - 1Mv	FR
34D	WEAN MALE	260	315.4	820	FR	40226	Y	70+d - 1Mv	FR
35A	WEAN MALE	315	365.1	1150	AA	30426	Y	70+d - 1Mv	FR
35B	WEAN MALE	263	357.4	940	FR	30226	Y	70+d - 1Mv	FR
35B	WEAN MALE	263	357.4	940	FR	70226	Y	70+d - 1Mv	FR
35B	WEAN MALE	263	357.4	940	FR	160226	Y	70+d - 1Mv	FR
35B	WEAN MALE	263	357.4	940	FR	100226	Y	70+d - 1Mv	FR
35B	WEAN MALE	263	357.4	940	FR	160426	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	190226	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	190226	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	10326	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	180226	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	80326	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	250326	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	20326	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	20326	Y	70+d - 1Mv	FR
36C	WEAN MALE	215	330.2	710	FR	140226	Y	70+d - 1Mv	FR
37	WEAN MALE	343	449	1540	CH	20526	Y	70+d - 1Mv	AAX
37	WEAN MALE	343	449	1540	CH	170426	Y	70+d - 1Mv	AAX
37	WEAN MALE	343	449	1540	CH	150426	Y	70+d - 1Mv	AAX
37C	WEAN MALE	225	426.7	960	HE	220226	Y	70+d - 1Mv	FR
37C	WEAN MALE	225	426.7	960	HE	10226	Y	70+d - 1Mv	FR
37C	WEAN MALE	225	426.7	960	HE	40226	Y	70+d - 1Mv	FRX
37D	WEAN MALE	220	404.5	890	HE	180226	Y	70+d - 1Mv	FR
37D	WEAN MALE	220	404.5	890	HE	100226	Y	70+d - 1Mv	FRX
38A	WEAN MALE	255	439.2	1120	HE	30226	Y	70+d - 1Mv	FRX
38B	WEAN MALE	280	442.9	1240	AA	20226	Y	70+d - 1Mv	FR
38C	WEAN MALE	227	392.1	890	AA	60226	Y	70+d - 1Mv	FR
38C	WEAN MALE	227	392.1	890	AA	10226	Y	70+d - 1Mv	FR
38D	WEAN MALE	200	370	740	AA	50426	Y	70+d - 1Mv	FRX
38D	WEAN MALE	200	370	740	AA	170226	Y	70+d - 1Mv	FRX
38D	WEAN MALE	200	370	740	AA	210226	Y	70+d - 1Mv	FRX
39	WEAN MALE	245	395.9	970	AA	30226	Y	70+d - 1Mv	FRX

WEANLING HEIFERS

Lot No.	Type Des	WT	PPK	PPH	Breed	DOB	QA	QA DAYS	Dam Breed
400	WEAN FEMALE	229	410.5	940	AA	130226	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	229	410.5	940	AA	120226	Y	70+d - 1Mv	FR

400	WEAN FEMALE	229	410.5	940	AA	170226	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	229	410.5	940	AA	200226	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	229	410.5	940	AA	60226	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	229	410.5	940	AA	70226	Y	70+d - 1Mv	FRX
400A	WEAN FEMALE	210	395.2	830	AA	10326	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	210	395.2	830	AA	260226	Y	70+d - 1Mv	RB
400A	WEAN FEMALE	210	395.2	830	AA	70326	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	210	395.2	830	AA	10326	Y	70+d - 1Mv	FRX
400A	WEAN FEMALE	210	395.2	830	AA	200226	Y	70+d - 1Mv	FR
400A	WEAN FEMALE	210	395.2	830	AA	200326	Y	70+d - 1Mv	FRX
401	WEAN FEMALE	259	397.7	1030	AA	90226	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	50226	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	60226	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	300126	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	40226	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	10226	Y	70+d - 1Mv	FR
401	WEAN FEMALE	259	397.7	1030	AA	40226	Y	70+d - 1Mv	FR
401H	WEAN FEMALE	255	447.1	1140	LM	190326	Y	70+d - 1Mv	LMX
401K	WEAN FEMALE	245	387.8	950	LM	260326	Y	70+d - 1Mv	HEX
402	WEAN FEMALE	260	484.6	1260	LM	150326	Y	70+d - 1Mv	LMX
402	WEAN FEMALE	260	484.6	1260	LM	230326	Y	70+d - 1Mv	LMX
402	WEAN FEMALE	260	484.6	1260	LM	240326	Y	70+d - 1Mv	LMX
402	WEAN FEMALE	260	484.6	1260	LM	280326	Y	70+d - 1Mv	LMX
402A	WEAN FEMALE	300	503.3	1510	LM	220226	Y	70+d - 1Mv	LMX
402A	WEAN FEMALE	300	503.3	1510	LM	220326	Y	70+d - 1Mv	LMX
403	WEAN FEMALE	245	493.9	1210	LM	170326	Y	70+d - 1Mv	LMX
403	WEAN FEMALE	245	493.9	1210	LM	140226	Y	70+d - 1Mv	LMX
403	WEAN FEMALE	245	493.9	1210	LM	40526	Y	70+d - 1Mv	LMX
403	WEAN FEMALE	245	493.9	1210	LM	160226	Y	70+d - 1Mv	LMX
403A	WEAN FEMALE	245	489.8	1200	LM	250326	Y	70+d - 1Mv	LMX
403A	WEAN FEMALE	245	489.8	1200	LM	180426	Y	70+d - 1Mv	LMX
403B	WEAN FEMALE	185	502.7	930	LM	270526	Y	70+d - 1Mv	LMX
403B	WEAN FEMALE	185	502.7	930	LM	30526	Y	70+d - 1Mv	LMX
403B	WEAN FEMALE	185	502.7	930	LM	250326	Y	70+d - 1Mv	LMX
404A	WEAN FEMALE	207	347.8	720	HE	270126	Y	70+d - 1Mv	FR
404A	WEAN FEMALE	207	347.8	720	HE	80326	Y	70+d - 1Mv	FR
404B	WEAN FEMALE	160	406.3	650	HE	280226	Y	70+d - 1Mv	FR
404B	WEAN FEMALE	160	406.3	650	HE	180326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	190326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	160226	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	100326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	30326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	100326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	70326	Y	70+d - 1Mv	FR
404C	WEAN FEMALE	157	407.6	640	HE	280226	Y	70+d - 1Mv	FR
405	WEAN FEMALE	378	354.5	1340	LM	10226	Y	70+d - 1Mv	SIX
405	WEAN FEMALE	378	354.5	1340	LM	180126	Y	70+d - 1Mv	SIX
405	WEAN FEMALE	378	354.5	1340	LM	150126	Y	70+d - 1Mv	SIX

405A	WEAN FEMALE	366	366.1	1340	LM	60226	Y	70+d - 1Mv	AAX
405A	WEAN FEMALE	366	366.1	1340	LM	210126	Y	70+d - 1Mv	AAX
405A	WEAN FEMALE	366	366.1	1340	LM	200126	Y	70+d - 1Mv	AAX
405B	WEAN FEMALE	390	389.7	1520	LM	170126	Y	70+d - 1Mv	SIX
405B	WEAN FEMALE	390	389.7	1520	LM	160126	Y	70+d - 1Mv	SIX
405C	WEAN FEMALE	400	400	1600	LM	150126	Y	70+d - 1Mv	SIX
405H	WEAN FEMALE	350	411.4	1440	LM	60226	Y	70+d - 1Mv	SIX
406A	WEAN FEMALE	275	363.6	1000	AA	140226	Y	70+d - 2Mv	FR
406E	WEAN FEMALE	345	411.6	1420	LM	141125	Y	70+d - 1Mv	LMX
406H	WEAN FEMALE	285	357.9	1020	LM	121125	Y	70+d - 1Mv	LMX
407	WEAN FEMALE	370	394.6	1460	CH	280126	Y	70+d - 1Mv	LMX
407	WEAN FEMALE	370	394.6	1460	CH	310126	Y	70+d - 1Mv	LMX
407	WEAN FEMALE	370	394.6	1460	CH	140226	Y	70+d - 1Mv	LMX
407	WEAN FEMALE	370	394.6	1460	CH	280226	Y	70+d - 1Mv	LMX
407A	WEAN FEMALE	361	398.9	1440	CH	20226	Y	70+d - 1Mv	LMX
407A	WEAN FEMALE	361	398.9	1440	CH	260126	Y	70+d - 1Mv	LMX
407A	WEAN FEMALE	361	398.9	1440	CH	240226	Y	70+d - 1Mv	LMX
408	WEAN FEMALE	317	410.1	1300	CH	160226	Y	70+d - 1Mv	LMX
408	WEAN FEMALE	317	410.1	1300	CH	170326	Y	70+d - 1Mv	LMX
408	WEAN FEMALE	317	410.1	1300	CH	200326	Y	70+d - 1Mv	LMX
408	WEAN FEMALE	317	410.1	1300	CH	40226	Y	70+d - 1Mv	LMX
408	WEAN FEMALE	317	410.1	1300	CH	260226	Y	70+d - 1Mv	LMX
408A	WEAN FEMALE	240	404.2	970	CH	240326	Y	70+d - 1Mv	SH
408A	WEAN FEMALE	240	404.2	970	CH	100526	Y	70+d - 1Mv	LMX
409	WEAN FEMALE	247	408.9	1010	HE	310326	Y	70+d - 1Mv	FR
409	WEAN FEMALE	247	408.9	1010	HE	100226	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	226	398.2	900	HE	150326	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	226	398.2	900	HE	10426	Y	70+d - 1Mv	FR
409A	WEAN FEMALE	226	398.2	900	HE	120226	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	196	428.6	840	HE	140226	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	196	428.6	840	HE	250626	Y	70+d - 1Mv	FR
409B	WEAN FEMALE	196	428.6	840	HE	220326	Y	70+d - 1Mv	FR
409C	WEAN FEMALE	202	405.9	820	HE	240226	Y	70+d - 1Mv	FR
409C	WEAN FEMALE	202	405.9	820	HE	10426	Y	70+d - 1Mv	FR
409D	WEAN FEMALE	180	383.3	690	HE	250226	Y	70+d - 1Mv	FR
409D	WEAN FEMALE	180	383.3	690	HE	270226	Y	70+d - 1Mv	FR
410	WEAN FEMALE	305	311.5	950	HE	240226	Y	70+d - 1Mv	SPX
410A	WEAN FEMALE	203	369.5	750	AA	190226	Y	70+d - 1Mv	JEX
410A	WEAN FEMALE	203	369.5	750	AA	100326	Y	70+d - 1Mv	FR
410A	WEAN FEMALE	203	369.5	750	AA	200226	Y	70+d - 1Mv	FRX
410A	WEAN FEMALE	203	369.5	750	AA	190226	Y	70+d - 1Mv	FR
410C	WEAN FEMALE	185	410.8	760	HE	180226	Y	70+d - 1Mv	FR
411E	WEAN FEMALE	206	378.6	780	AA	20426	Y	70+d - 1Mv	FR
411E	WEAN FEMALE	206	378.6	780	AA	230326	Y	70+d - 1Mv	FRX
411E	WEAN FEMALE	206	378.6	780	AA	170226	Y	70+d - 1Mv	FRX
411E	WEAN FEMALE	206	378.6	780	AA	200226	Y	70+d - 1Mv	FR
411E	WEAN FEMALE	206	378.6	780	AA	180226	Y	70+d - 1Mv	FR
411E	WEAN FEMALE	206	378.6	780	AA	200226	Y	70+d - 1Mv	FR

411E	WEAN FEMALE	206	378.6	780	AA	10326	Y	70+d - 1Mv	FRX
411E	WEAN FEMALE	206	378.6	780			Y	#NAME?	
411E	WEAN FEMALE	206	378.6	780	AA	180226	Y	70+d - 1Mv	FR
412	WEAN FEMALE	205	243.9	500	FR	160226	Y	70+d - 1Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	250226	Y	70+d - 1Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	260126	Y	70+d - 2Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	310126	Y	70+d - 2Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	40226	Y	70+d - 2Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	290126	Y	70+d - 2Mv	FR
412A	WEAN FEMALE	233	394.8	920	HE	270126	Y	70+d - 2Mv	FR
413	WEAN FEMALE	272	360.3	980	CH	300426	N	- 1Mv	HEX
413	WEAN FEMALE	272	360.3	980	CH	120426	N	- 1Mv	AAX
413A	WEAN FEMALE	295	423.7	1250	CH	270426	N	- 1Mv	HEX
413A	WEAN FEMALE	295	423.7	1250	CH	90426	N	- 1Mv	HEX
413B	WEAN FEMALE	251	434.3	1090	CH	280426	N	- 1Mv	AAX
413B	WEAN FEMALE	251	434.3	1090	CH	160426	N	- 1Mv	CHX
413B	WEAN FEMALE	251	434.3	1090	CH	180426	N	- 1Mv	LMX
413C	WEAN FEMALE	365	378.1	1380	HE	260226	N	- 2Mv	SI
413D	WEAN FEMALE	315	301.6	950	AA	60326	N	- 2Mv	SIX
413E	WEAN FEMALE	255	376.5	960	CH	150426	N	- 1Mv	BAX
413H	WEAN FEMALE	260	346.2	900	AA	30426	N	- 2Mv	SI
413K	WEAN FEMALE	175	394.3	690	AA	210526	N	- 2Mv	AAX
414A	WEAN FEMALE	155	393.5	610	HE	160226	Y	70+d - 2Mv	FR
414B	WEAN FEMALE	355	354.9	1260	LM	210626	Y	70+d - 1Mv	AUX
414C	WEAN FEMALE	275	349.1	960	AA	100626	Y	70+d - 1Mv	AAX
414D	WEAN FEMALE	290	465.5	1350	BB	10626	Y	70+d - 1Mv	BBX
415	WEAN FEMALE	333	480.5	1600	CH	140226	Y	70+d - 1Mv	CHX
415	WEAN FEMALE	333	480.5	1600	CH	70226	Y	70+d - 1Mv	CHX
415	WEAN FEMALE	333	480.5	1600	CH	90426	Y	70+d - 1Mv	CHX
415A	WEAN FEMALE	365	443.8	1620	CH	120326	Y	70+d - 1Mv	AAX
415A	WEAN FEMALE	365	443.8	1620	CH	280226	Y	70+d - 1Mv	SIX
415A	WEAN FEMALE	365	443.8	1620	CH	90226	Y	70+d - 1Mv	CHX
415B	WEAN FEMALE	295	525.4	1550	CH	110426	Y	70+d - 1Mv	CHX
415B	WEAN FEMALE	295	525.4	1550	CH	90426	Y	70+d - 1Mv	AAX
416	WEAN FEMALE	358	377.1	1350	LM	301125	Y	70+d - 1Mv	FR
416	WEAN FEMALE	358	377.1	1350	LM	11225	Y	70+d - 1Mv	FR
416	WEAN FEMALE	358	377.1	1350	LM	21225	Y	70+d - 1Mv	FR
416	WEAN FEMALE	358	377.1	1350	LM	291125	Y	70+d - 1Mv	NRX
416	WEAN FEMALE	358	377.1	1350	LM	291125	Y	70+d - 1Mv	FRX
416	WEAN FEMALE	358	377.1	1350	LM	31225	Y	70+d - 1Mv	FR
416K	WEAN FEMALE	157	375.8	590	AA	60426	Y	70+d - 1Mv	FR
416K	WEAN FEMALE	157	375.8	590	AA	70426	Y	70+d - 1Mv	FRX
417	WEAN FEMALE	313	440.9	1380	CH	31225	Y	70+d - 1Mv	HEX
417	WEAN FEMALE	313	440.9	1380	CH	81225	Y	70+d - 1Mv	SIX
417	WEAN FEMALE	313	440.9	1380	CH	100226	Y	70+d - 1Mv	SIX
417A	WEAN FEMALE	336	422.6	1420	CH	100226	Y	70+d - 1Mv	HEX
417A	WEAN FEMALE	336	422.6	1420	CH	200126	Y	70+d - 1Mv	SIX
417A	WEAN FEMALE	336	422.6	1420	CH	221125	Y	70+d - 1Mv	HEX