

CALVES								
Lot No.	Type Des	WT	PPK	PPH	Breed	QA	QA DAYS	Dam Breed
39B	M CALF	0	0	600	HE	Y	27d - 1Mv	FR
39C	M CALF	0	0	570	AA	Y	26d - 1Mv	FR
200	M CALF	0	0	450	BB	Y	70+d - 1Mv	JEX
201	M CALF	0	0	505	BB	Y	70+d - 1Mv	FRX
202	M CALF	0	0	505	BB	Y	39d - 1Mv	FR
203	M CALF	0	0	485	LM	Y	38d - 1Mv	FRX
204	M CALF	0	0	260	LM	Y	42d - 1Mv	FRX
205	F CALF	0	0	230	LM	Y	42d - 1Mv	JEX
205	F CALF	0	0	230	LM	Y	42d - 1Mv	JEX
420	F CALF	0	0	545	HE	Y	27d - 1Mv	FR
BULLS								
Lot No.	Type Des	WT	PPK	PPH	Breed	QA	QA DAYS	Dam Breed
1	WEAN MALE	271	453.9	1230	AA	N	- 2Mv	FR
1	WEAN MALE	271	453.9	1230	AA	N	- 2Mv	FR
1	WEAN MALE	271	453.9	1230	AA	N	- 2Mv	FR
1E	WEAN MALE	387	485.8	1880	CH	Y	70+d - 1Mv	CHX
1E	WEAN MALE	387	485.8	1880	CH	Y	70+d - 1Mv	CHX
1H	WEAN MALE	352	494.3	1740	CH	Y	70+d - 1Mv	CHX
1H	WEAN MALE	352	494.3	1740	CH	Y	70+d - 1Mv	CHX
2	WEAN MALE	256	414.1	1060	AA	Y	70+d - 2Mv	JEX
2	WEAN MALE	256	414.1	1060		Y	70+d - 2Mv	FR
2	WEAN MALE	256	414.1	1060	AA	Y	70+d - 2Mv	FRX
2	WEAN MALE	256	414.1	1060	AA	Y	70+d - 2Mv	FRX
2A	WEAN MALE	194	484.5	940	AA	Y	70+d - 2Mv	JEX
2A	WEAN MALE	194	484.5	940	AA	Y	70+d - 2Mv	FR
2A	WEAN MALE	194	484.5	940	AA	Y	70+d - 2Mv	FR
2A	WEAN MALE	194	484.5	940	AA	Y	70+d - 2Mv	FRX
2A	WEAN MALE	194	484.5	940	AA	Y	70+d - 2Mv	FRX
2B	WEAN MALE	205	409.8	840	LM	Y	70+d - 2Mv	JEX
3	WEAN MALE	243	563.8	1370	LM	N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370	LM	N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370		N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370	LM	N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370	LM	N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370	PT	N	- 2Mv	LMX
3	WEAN MALE	243	563.8	1370	PT	N	- 2Mv	LMX
3A	WEAN MALE	253	514	1300	AA	N	- 2Mv	FRX
3A	WEAN MALE	253	514	1300	LM	N	- 2Mv	SH
3A	WEAN MALE	253	514	1300	LM	N	- 2Mv	SH
3A	WEAN MALE	253	514	1300	SHX	N	- 2Mv	LMX
4	WEAN MALE	205	585.4	1200	LM	N	- 2Mv	HEX
4	WEAN MALE	205	585.4	1200	LM	N	- 2Mv	SIX
4	WEAN MALE	205	585.4	1200	LM	N	- 2Mv	SIX
4	WEAN MALE	205	585.4	1200	AA	N	- 2Mv	SHX
4	WEAN MALE	205	585.4	1200	SAX	N	- 2Mv	CHX

5	WEAN MALE	243	493.8	1200	HE	Y	70+d - 1Mv	FR
5	WEAN MALE	243	493.8	1200	HE	Y	70+d - 1Mv	FR
5	WEAN MALE	243	493.8	1200	HE	Y	70+d - 1Mv	FR
5	WEAN MALE	243	493.8	1200	HE	Y	70+d - 1Mv	FR
5	WEAN MALE	243	493.8	1200	HE	Y	70+d - 1Mv	FR
5A	WEAN MALE	260	492.3	1280	HE	Y	70+d - 1Mv	FR
5A	WEAN MALE	260	492.3	1280	HE	Y	70+d - 1Mv	FR
5A	WEAN MALE	260	492.3	1280	HE	Y	70+d - 1Mv	FR
5B	WEAN MALE	235	502.1	1180	HE	Y	70+d - 1Mv	FR
5B	WEAN MALE	235	502.1	1180	HE	Y	70+d - 1Mv	FR
5B	WEAN MALE	235	502.1	1180	HE	Y	70+d - 1Mv	FR
5B	WEAN MALE	235	502.1	1180	HE	Y	70+d - 1Mv	FR
6	WEAN MALE	234	474.4	1110	HE	Y	70+d - 1Mv	FR
6	WEAN MALE	234	474.4	1110	HE	Y	70+d - 1Mv	FR
6	WEAN MALE	234	474.4	1110	HE	Y	70+d - 1Mv	FR
6	WEAN MALE	234	474.4	1110	HE	Y	70+d - 1Mv	FR
6	WEAN MALE	234	474.4	1110	HE	Y	70+d - 1Mv	FR
6A	WEAN MALE	230	460.9	1060	AA	Y	70+d - 1Mv	FR
6A	WEAN MALE	230	460.9	1060	AA	Y	70+d - 1Mv	FR
6A	WEAN MALE	230	460.9	1060	AA	Y	70+d - 1Mv	FR
6B	WEAN MALE	260	461.5	1200	AA	Y	70+d - 1Mv	FR
7	WEAN MALE	427	482	2060	CH	Y	70+d - 1Mv	LMX
7	WEAN MALE	427	482	2060	CH	Y	70+d - 1Mv	LMX
7	WEAN MALE	427	482	2060	CH	Y	70+d - 1Mv	LMX
7	WEAN MALE	427	482	2060	CH	Y	70+d - 1Mv	LMX
7A	WEAN MALE	382	466	1780	CH	Y	70+d - 1Mv	LMX
7A	WEAN MALE	382	466	1780	CH	Y	70+d - 1Mv	LMX
7B	WEAN MALE	380	489.5	1860	CH	Y	70+d - 1Mv	LMX
7B	WEAN MALE	380	489.5	1860	CH	Y	70+d - 1Mv	LMX
7C	WEAN MALE	330	545.5	1800	CH	Y	70+d - 1Mv	LMX
7D	WEAN MALE	335	534.3	1790	CH	Y	70+d - 1Mv	LMX
7E	WEAN MALE	250	480	1200	CH	Y	70+d - 1Mv	LMX
8	WEAN MALE	241	464.7	1120	AA	Y	70+d - 2Mv	FR
8	WEAN MALE	241	464.7	1120	AA	Y	70+d - 2Mv	FR
8	WEAN MALE	241	464.7	1120	AA	Y	70+d - 2Mv	FR
8	WEAN MALE	241	464.7	1120	AA	Y	70+d - 2Mv	FR
8A	WEAN MALE	222	504.5	1120	AA	Y	70+d - 2Mv	FR
8A	WEAN MALE	222	504.5	1120	AA	Y	70+d - 2Mv	FR
8A	WEAN MALE	222	504.5	1120	AA	Y	70+d - 2Mv	FR
8A	WEAN MALE	222	504.5	1120	AA	Y	70+d - 2Mv	FR
9	WEAN MALE	255	341.2	870	AA	Y	70+d - 2Mv	FR
9	WEAN MALE	255	341.2	870	AA	Y	70+d - 2Mv	FRX
9	WEAN MALE	255	341.2	870	AA	Y	70+d - 2Mv	FR
10	WEAN MALE	278	330.9	920	FR	Y	70+d - 2Mv	FR
10	WEAN MALE	278	330.9	920	FR	Y	70+d - 2Mv	FRX
10	WEAN MALE	278	330.9	920	FR	Y	70+d - 2Mv	FR
10A	WEAN MALE	237	346	820	FR	Y	70+d - 2Mv	FR
10A	WEAN MALE	237	346	820	FR	Y	70+d - 2Mv	FR

10A	WEAN MALE	237	346	820	FR	Y	70+d - 2Mv	FR
10A	WEAN MALE	237	346	820	FR	Y	70+d - 2Mv	FR
10B	WEAN MALE	148	473	700	AA	Y	70+d - 2Mv	FR
10B	WEAN MALE	148	473	700	AA	Y	70+d - 2Mv	FR
10B	WEAN MALE	148	473	700	AA	Y	70+d - 2Mv	NRX
11K	WEAN MALE	201	338.3	680	FR	Y	70+d - 1Mv	FR
11K	WEAN MALE	201	338.3	680	FR	Y	70+d - 1Mv	FR
11K	WEAN MALE	201	338.3	680	FR	Y	70+d - 1Mv	FR
11K	WEAN MALE	201	338.3	680	FR	Y	70+d - 1Mv	FR
12	WEAN MALE	263	486.7	1280	HE	Y	70+d - 1Mv	FR
12	WEAN MALE	263	486.7	1280	HE	Y	70+d - 1Mv	FR
12	WEAN MALE	263	486.7	1280	HE	Y	70+d - 1Mv	FR
12	WEAN MALE	263	486.7	1280	HE	Y	70+d - 1Mv	FR
12A	WEAN MALE	217	516.1	1120	HE	Y	70+d - 1Mv	FR
12A	WEAN MALE	217	516.1	1120	HE	Y	70+d - 1Mv	FR
12A	WEAN MALE	217	516.1	1120	HE	Y	70+d - 1Mv	FRX
12A	WEAN MALE	217	516.1	1120	HE	Y	70+d - 1Mv	FR
12A	WEAN MALE	217	516.1	1120	HE	Y	70+d - 1Mv	FR
13	WEAN MALE	317	530	1680	LM	Y	70+d - 1Mv	LMX
13	WEAN MALE	317	530	1680	LM	Y	70+d - 1Mv	LMX
13	WEAN MALE	317	530	1680	LM	Y	70+d - 1Mv	LMX
13	WEAN MALE	317	530	1680	LM	Y	70+d - 1Mv	LMX
13A	WEAN MALE	250	664	1660	LM	Y	70+d - 1Mv	LMX
13A	WEAN MALE	250	664	1660	LM	Y	70+d - 1Mv	LMX
13A	WEAN MALE	250	664	1660	LM	Y	70+d - 1Mv	LMX
13A	WEAN MALE	250	664	1660	LM	Y	70+d - 1Mv	LMX
13B	WEAN MALE	280	550	1540	LM	Y	70+d - 1Mv	LMX
14	WEAN MALE	305	583.6	1780	LM	Y	70+d - 1Mv	LMX
14	WEAN MALE	305	583.6	1780	LM	Y	70+d - 1Mv	LMX
14A	WEAN MALE	217	617.5	1340	LM	Y	70+d - 1Mv	LMX
14A	WEAN MALE	217	617.5	1340	LM	Y	70+d - 1Mv	LM
15	WEAN MALE	274	438	1200	AA	Y	70+d - 1Mv	FR
15	WEAN MALE	274	438	1200	AA	Y	70+d - 1Mv	FR
15	WEAN MALE	274	438	1200	AA	Y	70+d - 1Mv	FR
15	WEAN MALE	274	438	1200	AA	Y	70+d - 1Mv	FR
15	WEAN MALE	274	438	1200	AA	Y	70+d - 1Mv	FR
15A	WEAN MALE	252	433	1090	AA	Y	70+d - 1Mv	FR
15A	WEAN MALE	252	433	1090	AA	Y	70+d - 1Mv	FR
15A	WEAN MALE	252	433	1090	AA	Y	70+d - 1Mv	FR
15A	WEAN MALE	252	433	1090	AA	Y	70+d - 1Mv	FR
15C	WEAN MALE	235	446.8	1050	AA	Y	70+d - 1Mv	FR
15C	WEAN MALE	235	446.8	1050	AA	Y	70+d - 1Mv	FRX
15C	WEAN MALE	235	446.8	1050	AA	Y	70+d - 1Mv	FR
15C	WEAN MALE	235	446.8	1050	AA	Y	70+d - 1Mv	FR
15C	WEAN MALE	235	446.8	1050	AA	Y	70+d - 1Mv	FRX
17	WEAN MALE	296	435.8	1290	HE	Y	70+d - 1Mv	FR
17	WEAN MALE	296	435.8	1290	HE	Y	70+d - 1Mv	FR
17	WEAN MALE	296	435.8	1290	HE	Y	70+d - 1Mv	FR

[illegible]

19D	WEAN MALE	236	491.5	1160	AA	Y	70+d - 1Mv	FR
20C	WEAN MALE	305	436.1	1330	LM	Y	70+d - 1Mv	SIX
20D	WEAN MALE	225	413.3	930	LM	Y	70+d - 1Mv	FRX
20E	WEAN MALE	320	368.8	1180	LM	Y	70+d - 1Mv	FRX
20H	WEAN MALE	247	466	1150	HE	Y	70+d - 1Mv	HEX
20H	WEAN MALE	247	466	1150	HE	Y	70+d - 1Mv	AAX
24	WEAN MALE	300	333.3	1000	FR	Y	70+d - 1Mv	FR
24	WEAN MALE	300	333.3	1000	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
24A	WEAN MALE	220	350	770	FR	Y	70+d - 1Mv	FR
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	FR
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	NRX
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	FRX
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	FR
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	FR
25C	WEAN MALE	199	381.9	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FRX
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FR
25D	WEAN MALE	196	387.8	760	FR	Y	70+d - 1Mv	FRX
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
26E	WEAN MALE	193	388.6	750	FR	Y	70+d - 1Mv	FR
27	WEAN MALE	240	375	900	FR	Y	70+d - 1Mv	FR
27	WEAN MALE	240	375	900	FR	Y	70+d - 1Mv	FR
27B	WEAN MALE	375	320	1200	LM	Y	70+d - 1Mv	HEX
27C	WEAN MALE	270	407.4	1100	AA	Y	70+d - 1Mv	FR
27C	WEAN MALE	270	407.4	1100	AA	Y	70+d - 1Mv	FR
28	WEAN MALE	265	437.7	1160	AA	Y	70+d - 1Mv	FR
28	WEAN MALE	265	437.7	1160	AA	Y	70+d - 1Mv	FR
28	WEAN MALE	265	437.7	1160	AA	Y	70+d - 1Mv	FR
28	WEAN MALE	265	437.7	1160	AA	Y	70+d - 1Mv	FR
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FRX
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FR
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FR
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FR
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FR
28A	WEAN MALE	262	446.6	1170	AA	Y	70+d - 1Mv	FR

[illegible]

33A	WEAN MALE	229	519.7	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
34A	WEAN MALE	225	528.9	1190	AA	Y	70+d - 1Mv	FR
35	WEAN MALE	214	439.3	940	AA	Y	70+d - 1Mv	FR
35	WEAN MALE	214	439.3	940	AA	Y	70+d - 1Mv	FR
35	WEAN MALE	214	439.3	940	AA	Y	70+d - 1Mv	FR
35	WEAN MALE	214	439.3	940	AA	Y	70+d - 1Mv	FR
35	WEAN MALE	214	439.3	940	AA	Y	70+d - 1Mv	FR
35A	WEAN MALE	214	407	870	AA	Y	70+d - 1Mv	FR
35A	WEAN MALE	214	407	870	AA	Y	70+d - 1Mv	FR
35A	WEAN MALE	214	407	870	AA	Y	70+d - 1Mv	FR
35A	WEAN MALE	214	407	870	AA	Y	70+d - 1Mv	FR
35A	WEAN MALE	214	407	870	AA	Y	70+d - 1Mv	FR
35B	WEAN MALE	200	440	880	AA	Y	70+d - 1Mv	FRX
35B	WEAN MALE	200	440	880	AA	Y	70+d - 1Mv	FR
35B	WEAN MALE	200	440	880	AA	Y	70+d - 1Mv	FRX
35B	WEAN MALE	200	440	880	AA	Y	70+d - 1Mv	FR
36	WEAN MALE	211	450	950	AA	Y	70+d - 1Mv	FRX
36	WEAN MALE	211	450	950	AA	Y	70+d - 1Mv	FRX
36	WEAN MALE	211	450	950	AA	Y	70+d - 1Mv	FR
36	WEAN MALE	211	450	950	AA	Y	70+d - 1Mv	FR
36A	WEAN MALE	181	480.7	870	AA	Y	70+d - 1Mv	FR
36A	WEAN MALE	181	480.7	870	AA	Y	70+d - 1Mv	FR
36A	WEAN MALE	181	480.7	870	AA	Y	70+d - 1Mv	FRX
36A	WEAN MALE	181	480.7	870	AA	Y	70+d - 1Mv	FR
36B	WEAN MALE	175	491	860	HE	Y	70+d - 1Mv	FR
36C	WEAN MALE	155	238.7	370	FR	Y	70+d - 1Mv	FRX
37	WEAN MALE	196	484.7	950	HE	Y	70+d - 1Mv	FR
37	WEAN MALE	196	484.7	950	HE	Y	70+d - 1Mv	FR
37	WEAN MALE	196	484.7	950	HE	Y	70+d - 1Mv	FR
37A	WEAN MALE	181	491.7	890	HE	Y	70+d - 1Mv	FR
37A	WEAN MALE	181	491.7	890	HE	Y	70+d - 1Mv	FR
37A	WEAN MALE	181	491.7	890	HE	Y	70+d - 1Mv	FR
38	WEAN MALE	270	385.2	1040	AA	Y	70+d - 1Mv	FR
38	WEAN MALE	270	385.2	1040	AA	Y	70+d - 1Mv	FRX
38A	WEAN MALE	260	411.5	1070	LM	Y	70+d - 1Mv	FRX
38B	WEAN MALE	245	391.8	960	LM	Y	70+d - 1Mv	FR
38C	WEAN MALE	245	432.7	1060	HE	Y	70+d - 1Mv	FRX
38D	WEAN MALE	250	356	890	FR	Y	70+d - 1Mv	SIX
38D	WEAN MALE	250	356	890	FR	Y	70+d - 1Mv	SIX
39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	FRX
39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	FRX

39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	FR
39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	SIX
39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	FRX
39	WEAN MALE	246	402.4	990	FR	Y	70+d - 1Mv	FR
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	FR
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	FR
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	FRX
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	FR
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	SIX
39A	WEAN MALE	232	375	870	FR	Y	70+d - 1Mv	SIX

HEIFERS

Lot No.	Type Des	WT	PPK	PPH	Breed	QA	QA DAYS	Dam Breed
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FRX
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
400	WEAN FEMALE	214	481.3	1030	AA	Y	70+d - 1Mv	FR
401	WEAN FEMALE	295	389.8	1150	AA	N	- 2Mv	FR
401A	WEAN FEMALE	265	350.9	930	AA	N	- 2Mv	FR
401H	WEAN FEMALE	437	409.6	1790	CH	Y	70+d - 1Mv	CHX
401H	WEAN FEMALE	437	409.6	1790	CH	Y	70+d - 1Mv	CHX
401K	WEAN FEMALE	375	445.3	1670	CH	Y	70+d - 1Mv	CHX
401K	WEAN FEMALE	375	445.3	1670	CH	Y	70+d - 1Mv	LMX
402	WEAN FEMALE	200	430	860	HE	Y	70+d - 1Mv	FRX
402	WEAN FEMALE	200	430	860	HE	Y	70+d - 1Mv	FR
402A	WEAN FEMALE	222	423.4	940	HE	Y	70+d - 1Mv	FR
402A	WEAN FEMALE	222	423.4	940	HE	Y	70+d - 1Mv	NRX
402B	WEAN FEMALE	247	429.1	1060	HE	Y	70+d - 1Mv	FR
402B	WEAN FEMALE	247	429.1	1060	HE	Y	70+d - 1Mv	FR
402C	WEAN FEMALE	197	431.5	850	HE	Y	70+d - 1Mv	FR
402C	WEAN FEMALE	197	431.5	850	HE	Y	70+d - 1Mv	FRX
403	WEAN FEMALE	380	394.7	1500	AU	N	- 1Mv	AU
403A	WEAN FEMALE	315	349.2	1100	AU	N	- 1Mv	AU
405	WEAN FEMALE	246	430.9	1060	HE	Y	70+d - 1Mv	FR
405	WEAN FEMALE	246	430.9	1060	HE	Y	70+d - 1Mv	FRX
405	WEAN FEMALE	246	430.9	1060	HE	Y	70+d - 1Mv	FRX
405	WEAN FEMALE	246	430.9	1060	HE	Y	70+d - 1Mv	FRX
406	WEAN FEMALE	270	374.1	1010	AA	Y	70+d - 1Mv	FR
406A	WEAN FEMALE	253	403.2	1020	AA	Y	70+d - 1Mv	FR
406A	WEAN FEMALE	253	403.2	1020	AA	Y	70+d - 1Mv	FR
406A	WEAN FEMALE	253	403.2	1020	AA	Y	70+d - 1Mv	FR
406B	WEAN FEMALE	251	402.4	1010	AA	Y	70+d - 1Mv	FRX
406B	WEAN FEMALE	251	402.4	1010	AA	Y	70+d - 1Mv	FR
406B	WEAN FEMALE	251	402.4	1010	AA	Y	70+d - 1Mv	FR

406B	WEAN FEMALE	251	402.4	1010	AA	Y	70+d - 1Mv	FR
407	WEAN FEMALE	230	304.3	700		N	- 2Mv	FR
407A	WEAN FEMALE	205	317.1	650	SIM	N	- 2Mv	FR
407B	WEAN FEMALE	275	378.2	1040	SIM	N	- 2Mv	FR
407C	WEAN FEMALE	255	337.3	860	SIM	N	- 2Mv	FR
407D	WEAN FEMALE	187	299.5	560	BB	N	- 2Mv	FR
407D	WEAN FEMALE	187	299.5	560		N	- 2Mv	FR
407D	WEAN FEMALE	187	299.5	560		N	- 2Mv	FR
407D	WEAN FEMALE	187	299.5	560		N	- 2Mv	FR
408	WEAN FEMALE	207	391.3	810	LM	N	- 2Mv	FR
408	WEAN FEMALE	207	391.3	810	AA	N	- 2Mv	FR
408A	WEAN FEMALE	250	344	860	SIM	N	- 2Mv	JEX
408A	WEAN FEMALE	250	344	860	SIM	N	- 2Mv	FRX
408B	WEAN FEMALE	232	301.7	700	SIM	N	- 2Mv	FR
408B	WEAN FEMALE	232	301.7	700	SIM	N	- 2Mv	FR
408C	WEAN FEMALE	250	380	950	SIM	N	- 2Mv	FR
408C	WEAN FEMALE	250	380	950	SIM	N	- 2Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
409	WEAN FEMALE	212	452.8	960	HE	Y	70+d - 1Mv	FR
411	WEAN FEMALE	237	455.7	1080	CH	N	- 2Mv	FRX
411	WEAN FEMALE	237	455.7	1080	CH	N	- 2Mv	FRX
411A	WEAN FEMALE	227	449.3	1020	CH	N	- 2Mv	FRX
411A	WEAN FEMALE	227	449.3	1020	CH	N	- 2Mv	FR
411B	WEAN FEMALE	250	400	1000	BB	N	- 2Mv	FR
411B	WEAN FEMALE	250	400	1000	BB	N	- 2Mv	JEX
411C	WEAN FEMALE	240	420.8	1010	BB	N	- 2Mv	FRX
411C	WEAN FEMALE	240	420.8	1010	BB	N	- 2Mv	FRX
411D	WEAN FEMALE	257	420.2	1080	HE	N	- 2Mv	JEX
411D	WEAN FEMALE	257	420.2	1080	HE	N	- 2Mv	FRX
411E	WEAN FEMALE	240	420.8	1010	HE	N	- 2Mv	FRX
411E	WEAN FEMALE	240	420.8	1010	HE	N	- 2Mv	FR
411K	WEAN MALE	220	413.6	910	AA	N	- 2Mv	FRX
411K	WEAN FEMALE	220	413.6	910	AA	N	- 2Mv	FRX
411K	WEAN FEMALE	220	413.6	910	AA	N	- 2Mv	FRX
411L	WEAN FEMALE	256	390.6	1000	AA	N	- 2Mv	FRX
411L	WEAN FEMALE	256	390.6	1000	AA	N	- 2Mv	FRX
411L	WEAN FEMALE	256	390.6	1000	AA	N	- 2Mv	FR
412	WEAN FEMALE	174	448.3	780	HE	Y	70+d - 1Mv	FR
412	WEAN FEMALE	174	448.3	780	HE	Y	70+d - 1Mv	FR
412	WEAN FEMALE	174	448.3	780	HE	Y	70+d - 1Mv	FR
412	WEAN FEMALE	174	448.3	780	HE	Y	70+d - 1Mv	FR
412	WEAN FEMALE	174	448.3	780	HE	Y	70+d - 1Mv	FR
412A	WEAN FEMALE	187	449.2	840	HE	Y	70+d - 1Mv	FRX

412A	WEAN FEMALE	187	449.2	840	HE	Y	70+d - 1Mv	FR
412A	WEAN FEMALE	187	449.2	840	HE	Y	70+d - 1Mv	FR
412A	WEAN FEMALE	187	449.2	840	HE	Y	70+d - 1Mv	FR
412B	WEAN FEMALE	222	396.4	880	HE	Y	70+d - 1Mv	FRX
412B	WEAN FEMALE	222	396.4	880	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413	WEAN FEMALE	172	476.7	820	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
413A	WEAN FEMALE	200	425	850	HE	Y	70+d - 1Mv	FR
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FR
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FRX
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FR
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FR
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FR
414	WEAN FEMALE	230	443.5	1020	HE	Y	70+d - 1Mv	FR
414A	WEAN FEMALE	135	222.2	300	AA	Y	70+d - 1Mv	FR
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FRX
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FRX
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FRX
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FRX
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FRX
415	WEAN FEMALE	223	439.5	980	HE	N	- 2Mv	FR
415A	WEAN FEMALE	215	414	890	HE	N	- 2Mv	FRX
415A	WEAN FEMALE	215	414	890	HE	N	- 2Mv	FRX
416	WEAN FEMALE	280	417.9	1170	AA	Y	70+d - 1Mv	FR
416	WEAN FEMALE	280	417.9	1170	AA	Y	70+d - 1Mv	FR
416	WEAN FEMALE	280	417.9	1170	AA	Y	70+d - 1Mv	FR
416A	WEAN FEMALE	270	433.3	1170	AA	Y	70+d - 1Mv	FR
416A	WEAN FEMALE	270	433.3	1170	AA	Y	70+d - 1Mv	FR
416A	WEAN FEMALE	270	433.3	1170	AA	Y	70+d - 1Mv	FR
416B	WEAN FEMALE	253	470.4	1190	AA	Y	70+d - 1Mv	FR
416B	WEAN FEMALE	253	470.4	1190	AA	Y	70+d - 1Mv	FR
416B	WEAN FEMALE	253	470.4	1190	AA	Y	70+d - 1Mv	FR
416B	WEAN FEMALE	253	470.4	1190	AA	Y	70+d - 1Mv	FR
416B	WEAN FEMALE	253	470.4	1190	AA	Y	70+d - 1Mv	FR
419K	WEAN FEMALE	185	459.5	850	LM	Y	70+d - 1Mv	FR